

## Author Index for Volumes 79–83

- Aalto, P.: *See* Tomppo, E.  
 Adams, J.B.: *See* Sabol Jr., D.E.  
 Adams, P.: *See* Kirkland, L.  
 Albertson, J.D.: *See* Scanlon, T.M.  
 Alleaume, S.: *See* Justice, C.O.  
 Almeida-Filho, R. and Shimabukuro, Y.E.: Digital processing of a Landsat-TM time series for mapping and monitoring degraded areas caused by independent gold miners, Roraima State, Brazilian Amazon 79:42  
 Andersen, J.: *See* Sandholt, I.  
 Anderson, A.B.: *See* Gertner, G.  
 Andersson, K.: *See* Tian, Y.  
 Antoine, D.: *See* Bricaud, A.  
 Arnone, R.A.: *See* Gould Jr., R.W.  
 Askne, J.: *See* Dokken, S.T.  
 Askne, J.: *See* Santoro, M.  
 Asner, G.P., Keller, M., Pereira Jr., R. and Zweede, J.C.: Remote sensing of selective logging in Amazonia Assessing limitations based on detailed field observations, Landsat ETM+, and textural analysis 80:483  
 Atkinson, P.M.: *See* Hedger, R.D.  
 Atkinson, P.M.: *See* Tatem, A.J.  
  
 Baccini, A.: *See* Friedl, M.A.  
 Bacour, C., Jacquemoud, S., Tourbier, Y., Dechambre, M. and Frangi, J.-P.: Design and analysis of numerical experiments to compare four canopy reflectance models 79:72  
 Baret, F.: *See* Jacob, F.  
 Baret, F.: *See* Weidong, L.  
 Barnes, W.L.: *See* Guenther, B.  
 Barnsley, M.: *See* Schaaf, C.B.  
 Barros, A.P.: *See* Kim, G.  
 Bauer, M.E.: *See* Kloiber, S.M.  
 Bayr, K.J.: *See* Hall, D.K.  
 Beaulieu, A. and Gaonac'h, H.: Scaling of differentially eroded surfaces in the drainage network of the Ethiopian Plateau 82:111  
 Bechtel, R., Rivard, B. and Sánchez-Azofeifa, A.: Spectral properties of foliose and crustose lichens based on laboratory experiments 82:389  
 Belchansky, G.I. and Douglas, D.C.: Seasonal comparisons of sea ice concentration estimates derived from SSM/I, OKEAN, and RADARSAT data 81:67  
 Bell, F.W.: *See* Pouliot, D.A.  
 Benvenuto, F.: *See* Silvestri, S.  
  
 Berterretche, M.: *See* Hudak, A.T.  
 Berthelot, B.: *See* Duchemin, B.  
 Biggar, S.F.: *See* Rojas, F.  
 Bing, Z.: *See* Weidong, L.  
 Björk, G.: *See* Dokken, S.T.  
 Blackburn, G.A.: Remote sensing of forest pigments using airborne imaging spectrometer and LIDAR imagery 82:311  
 Blair, J.B.: *See* Drake, J.B.  
 Blair, J.B.: *See* Drake, J.B.  
 Blumberg, D.G.: *See* Zhu, G.  
 Boegh, E., Soegaard, H. and Thomsen, A.: Evaluating evapotranspiration rates and surface conditions using Landsat TM to estimate atmospheric resistance and surface resistance 79:329  
 Boegh, E., Soegaard, H., Broge, N., Hasager, C.B., Jensen, N.O., Schelde, K. and Thomsen, A.: Airborne multispectral data for quantifying leaf area index, nitrogen concentration, and photosynthetic efficiency in agriculture 81:179  
 Boisvert, J.B.: *See* Strachan, I.B.  
 Boles, S.: *See* Xiao, X.  
 Borak, J.S.: *See* Roy, D.P.  
 Bosc, E.: *See* Bricaud, A.  
 Bosseno, R.: *See* Wan, Z.  
 Braden, J.: *See* Laba, M.  
 Brezonik, P.L.: *See* Kloiber, S.M.  
 Bricaud, A., Bosc, E. and Antoine, D.: Algal biomass and sea surface temperature in the Mediterranean Basin Inter-comparison of data from various satellite sensors, and implications for primary production estimates 81:163  
 Brisco, B.: *See* McNaim, H.  
 Brisson, A.: *See* François, C.  
 Broge, N.: *See* Boegh, E.  
 Broge, N.H. and Mortensen, J.V.: Deriving green crop area index and canopy chlorophyll density of winter wheat from spectral reflectance data 81:45  
 Brown, L.: *See* Chen, J.M.  
 Brown, R.J.: *See* Wood, D.  
 Bryant, R.G. and Rainey, M.P.: Investigation of flood inundation on playas within the Zone of Chotts, using a time-series of AVHRR 82:360  
 Buermann, W.: *See* Tian, Y.  
 Buermann, W.: *See* Tian, Y.  
 Buongiorno, M.F., Realmuto, V.J. and Doumaz, F.: Recovery of spectral emissivity from Thermal Infrared

- Multispectral Scanner imagery acquired over a mountainous terrain A case study from Mount Etna Sicily 79:123
- Bussi res, N., Verseggy, D. and MacPherson, J.I.: The evolution of AVHRR-derived water temperatures over boreal lakes 80:373
- Byrne, D.: *See* Thomas, A.
- Caldeira, R.M.A., Groom, S., Miller, P., Pilgrim, D. and Nezhlin, N.P.: Sea-surface signatures of the island mass effect phenomena around Madeira Island, Northeast Atlantic 80:336
- Caraglio, Y.: *See* Castel, T.
- Carder, K.L.: *See* Hu, C.
- Carroll, M.: *See* Hansen, M.C.
- Carroll, M.L.: *See* Zhan, X.
- Castaing, P.: *See* Doxaran, D.
- Castaing, P.: *See* Lafon, V.
- Castel, T., Guerra, F., Caraglio, Y. and Houllier, F.: Retrieval biomass of a large Venezuelan pine plantation using JERS-1 SAR data. Analysis of forest structure impact on radar signature 79:30
- Caylor, K.K.: *See* Scanlon, T.M.
- Ceccato, P., Gobron, N., Flasse, S., Pinty, B. and Tarantola, S.: Designing a spectral index to estimate vegetation water content from remote sensing data: Part 1 Theoretical approach 82:188
- Ceccato, P., Flasse, S. and Gr goire, J.-M.: Designing a spectral index to estimate vegetation water content from remote sensing data Part 2. Validation and applications 82:198
- Chabrilat, S., Goetz, A.F.H., Krosley, L. and Olsen, H.W.: Use of hyperspectral images in the identification and mapping of expansive clay soils and the role of spatial resolution 82:431
- Chazdon, R.L.: *See* Drake, J.B.
- Chen, D.M.: *See* Stow, D.A.
- Chen, G., Ezraty, R., Fang, C. and Fang, L.: A new look at the zonal pattern of the marine wind system from TOPEX measurements 79:15
- Chen, J.M.: *See* Lacaze, R.
- Chen, J.M., Pavlic, G., Brown, L., Cihlar, J., Leblanc, S.G., White, H.P., Hall, R.J., Peddle, D.R., King, D.J., Trofymow, J.A., Swift, E., Van der Sanden, J. and Pellikka, P.K.E.: Derivation and validation of Canada-wide coarse-resolution leaf area index maps using high-resolution satellite imagery and ground measurements 80:165
- Chen, M.: *See* Liang, S.
- Chipman, J.W.: *See* Reese, H.M.
- Chuvieco, E.: *See* Ria o, D.
- Cihlar, J.: *See* Chen, J.M.
- Cihlar, J.: *See* Du, Y.
- Cihlar, J.: *See* Trishchenko, A.P.
- Cihlar, J.: *See* Zhang, Y.
- Clark, D.B.: *See* Drake, J.B.
- Clark, D.B.: *See* Drake, J.B.
- Cohen, W.B.: *See* Hudak, A.T.
- Cohen, W.B.: *See* Turner, D.P.
- Cooper, A.: *See* Friedl, M.A.
- Curran, P.J.: *See* O'Neill, A.L.
- Czajkowski, K.P.: *See* Goward, S.N.
- Czajkowski, K.P.: *See* Ouaidrari, H.
- Czajkowski, K.P., Goward, S.N., Shirey, D. and Walz, A.: Thermal remote sensing of near-surface water vapor 79:253
- Dabrowska-Zielinska, K.: *See* Inoue, Y.
- Daughtry, C.: *See* Liang, S.
- De Wasseige, C. and Defourny, P.: Retrieval of tropical forest structure characteristics from bi-directional reflectance of SPOT images 83:362
- De Wulf, R.: *See* Verhoeve, J.
- Dechambre, M.: *See* Bacour, C.
- Dedieu, G.: *See* Duchemin, B.
- Deering, D.W.: *See* Qin, W.
- Defourny, P.: *See* de Wasseige, C.
- DeFries, R.S.: *See* Hansen, M.C.
- DeFries, R.S.: *See* Huang, C.
- DeFries, R.S.: *See* Zhan, X.
- DeGloria, S.D.: *See* Laba, M.
- Dehaan, R.L. and Taylor, G.R.: Field-derived spectra of salinized soils and vegetation as indicators of irrigation-induced soil salinization 80:406
- Dennison, P.: *See* Ria o, D.
- D'Entremont, R.P.: *See* Schaaf, C.B.
- Descloitres, J.: *See* Justice, C.O.
- Descloitres, J.: *See* Roy, D.P.
- Devadiga, S.: *See* Roy, D.P.
- Dextraze, L.: *See* Haboudane, D.
- Diaz, H.F.: *See* Salinas-Zavala, C.A.
- Didan, K.: *See* Huete, A.
- DiGirolamo, N.E.: *See* Hall, D.K.
- DiMiceli, C.: *See* Zhan, X.
- Dimiceli, C.: *See* Hansen, M.C.
- Disney, M.: *See* Schaaf, C.B.
- Dixon, R.: *See* Wood, D.
- Dixon, R.: *See* Wood, D.
- Dokken, S.T., Winsor, P., Markus, T., Askne, J. and Bj rk, G.: ERS SAR characterization of coastal polynyas in the Arctic and comparison with SSM/I and numerical model investigations 80:321
- Doll, C.: *See* Schaaf, C.B.
- Dong, J.: *See* Tian, Y.
- Dong, J.: *See* Tian, Y.
- D'Ortenzio, F., Marullo, S., Ragni, M., Ribera d'Alcal , M. and Santoleri, R.: Validation of empirical SeaWiFS algorithms for chlorophyll-*a* retrieval in the Mediterranean Sea A case study for oligotrophic seas 82:79
- Douglas, A.V.: *See* Salinas-Zavala, C.A.
- Douglas, D.C.: *See* Belchansky, G.I.

- Doumaz, F.: *See* Buongiorno, M.F.
- Doxaran, D., Froidefond, J.-M., Lavender, S. and Castaing, P.: Spectral signature of highly turbid waters Application with SPOT data to quantify suspended particulate matter concentrations 81:149
- Drake, J.B., Dubayah, R.O., Clark, D.B., Knox, R.G., Blair, J.B., Hofton, M.A., Chazdon, R.L., Weishampel, J.F. and Prince, S.D.: Estimation of tropical forest structural characteristics using large-footprint lidar 79:305
- Drake, J.B., Dubayah, R.O., Knox, R.G., Clark, D.B. and Blair, J.B.: Sensitivity of large-footprint lidar to canopy structure and biomass in a neotropical rainforest 81:378
- Du, Y., Teillet, P.M. and Cihlar, J.: Radiometric normalization of multitemporal high-resolution satellite images with quality control for land cover change detection 82:123
- Dubayah, R.O.: *See* Drake, J.B.
- Duchemin, B. and Maisongrande, P.: Normalisation of directional effects in 10-day global syntheses derived from VEGETATION/SPOT:I. Investigation of concepts based on simulation 81:90
- Duchemin, B., Berthelot, B., Dedieu, G., Leroy, M. and Maisongrande, P.: Normalisation of directional effects in 10-day global syntheses derived from VEGETATION/SPOT:II. Validation of an operational method on actual data sets 81:101
- Duguay, C.: *See* McNairn, H.
- Dunderdale, M.: *See* Schaaf, C.B. 83:135
- Dymond, C.C., Mladenoff, D.J. and Radeloff, V.C.: Phenological differences in Tasseled Cap indices improve deciduous forest classification 80:460
- Eastman, J.C.: *See* Zhan, X.
- Ediriwickrema, J.: *See* Lunetta, R.S.
- Edwards, A.J.: *See* Mumby, P.J.
- Eerens, H.: *See* Veroustraete, F.
- Ekstrand, S.: *See* Falkenström, H.
- El Saleous, N.Z.: *See* Vermote, E.F.
- Estève, P.: *See* Kimes, D.
- Ezraty, R.: *See* Chen, G.
- Falkenström, H. and Ekstrand, S.: Evaluation of IRS-1c LISS-3 satellite data for defoliation assessment on Norway spruce and Scots pine 82:208
- Fang, C.: *See* Chen, G.
- Fang, H.: *See* Liang, S.
- Fang, L.: *See* Chen, G.
- Fang, S.: *See* Gertner, G.
- Faure, T., Isaka, H. and Guillemet, B.: Neural network retrieval of cloud parameters from high-resolution multispectral radiometric data A feasibility study 80:285
- Fegraus, E.: *See* Laba, M.
- Ferreira, L.G.: *See* Huete, A.
- Fiore, J.: *See* Laba, M.
- Flasse, S.: *See* Ceccato, P.
- Fleig, A.J.: *See* Wolfe, R.E.
- Flynn, L.: *See* Wright, R.
- Foody, G.M.: Status of land cover classification accuracy assessment 80:185
- François, C.: The potential of directional radiometric temperatures for monitoring soil and leaf temperature and soil moisture status 80:122
- François, C., Brisson, A., Le Borgne, P. and Marsouin, A.: Definition of a radiosounding database for sea surface brightness temperature simulations Application to sea surface temperature retrieval algorithm determination 81:309
- Frangi, J.-P.: *See* Bacour, C.
- Franklin, J.: *See* Rogan, J.
- Fransson, J.E.S.: *See* Santoro, M.
- Fraser, R.H. and Li, Z.: Estimating fire-related parameters in boreal forest using SPOT VEGETATION 82:95
- French, A.: *See* Schmugge, T.
- Friedl, M.: *See* Myneni, R.B.
- Friedl, M.A.: Forward and inverse modeling of land surface energy balance using surface temperature measurements 79:344
- Friedl, M.A.: *See* McIver, D.K.
- Friedl, M.A., McIver, D.K., Hodges, J.C.F., Zhang, X.Y., Muchoney, D., Strahler, A.H., Woodcock, C.E., Gopal, S., Schneider, A., Cooper, A., Baccini, A., Gao, F. and Schaaf, C.: Global land cover mapping from MODIS: algorithms and early results 83:287
- Frison, P.L.: *See* Jarlan, L.
- Froidefond, J.M.: *See* Lafon, V.
- Froidefond, J.-M., Gardel, L., Guiral, D., Parra, M. and Ternon, J.-F.: Spectral remote sensing reflectances of coastal waters in French Guiana under the Amazon influence 80:225
- Froidefond, J.-M.: *See* Doxaran, D.
- Gamon, J.A.: *See* Sims, D.A.
- Gao, F.: *See* Friedl, M.A.
- Gao, F.: *See* Schaaf, C.B.
- Gao, X.: *See* Huete, A.
- Gaonac'h, H.: *See* Beaulieu, A.
- Garbeil, H.: *See* Wright, R.
- García-Haro, F.J. and Sommer, S.: A fast canopy reflectance model to simulate realistic remote sensing scenarios 81:205
- García-Haro, F.J.: *See* Gilabert, M.A.
- Gardel, L.: *See* Froidefond, J.-M.
- Garritty, C., Lubin, D., Kern, S. and Pedersen, L.T.: Linescan camera evaluation of SSM/I 85.5 GHz sea ice retrieval 83:473
- Gastellu-Etchegorry, J.: *See* Kimes, D.
- Gautier, C.: *See* Wyser, K.
- Gemmell, F., Varjo, J., Strandstrom, M. and Kuusk, A.: Comparison of measured boreal forest characteristics

- with estimates from TM data and limited ancillary information using reflectance model inversion 81:365
- Gerstl, S.A.W.: *See* Qin, W.
- Gertner, G., Wang, G., Fang, S. and Anderson, A.B.: Mapping and uncertainty of predictions based on multiple primary variables from joint co-simulation with Landsat TM image and polynomial regression 83:499
- Giglio, L.: *See* Justice, C.O.
- Gilabert, M.A., González-Piqueras, J., García-Haro, F.J. and Meliá, J.: A generalized soil-adjusted vegetation index 82:303
- Gillespie, A.R.: *See* Sabol Jr., D.E.
- Gitelson, A.A., Kaufman, Y.J., Stark, R. and Rundquist, D.: Novel algorithms for remote estimation of vegetation fraction 80:76
- Glassy, J.: *See* Myneni, R.B.
- Gleason, A.C.R., Prince, S.D., Goetz, S.J. and Small, J.: Effects of orbital drift on land surface temperature measured by AVHRR thermal sensors 79:147
- Gobron, N.: *See* Ceccato, P.
- Goel, N.S.: *See* Qin, W.
- Goetz, A.F.H.: *See* Chabrillat, S.
- Goetz, S.: *See* Lakshmi, V.
- Goetz, S.J.: *See* Gleason, A.C.R.
- Goldmann, R.A.: *See* Reese, H.M.
- González-Piqueras, J.: *See* Gilabert, M.A.
- Gopal, S.: *See* Friedl, M.A.
- Gordon, H.R.: *See* Wang, M.
- Göttsche, F.-M. and Olesen, F.S.: Evolution of neural networks for radiative transfer calculations in the terrestrial infrared 80:157
- Gould Jr., R.W. and Arnone, R.A.: Coastal optical properties estimated from airborne sensorsReply to the comments by Hu and Carder 79:138
- Goward, S.N., Xue, Y. and Czajkowski, K.P.: Evaluating land surface moisture conditions from the remotely sensed temperature/vegetation index measurementsAn exploration with the simplified simple biosphere model 79:225
- Goward, S.N.: *See* Czajkowski, K.P.
- Goward, S.N.: *See* Ouaidrari, H.
- Gower, S.T.: *See* Turner, D.P.
- Grégoire, J.-M.: *See* Ceccato, P.
- Green, R.M. and Hay, S.I.: The potential of Pathfinder AVHRR data for providing surrogate climatic variables across Africa and Europe for epidemiological applications 79:166
- Grégoire, J.-M.: *See* Stroppiana, D.
- Gregory, M.: *See* Turner, D.P.
- Gregory, S.K.: *See* Laba, M.
- Greuell, W., Reijmer, C.H. and Oerlemans, J.: Narrowband-to-broadband albedo conversion for glacier ice and snow based on aircraft and near-surface measurements 82:48
- Groom, S.: *See* Caldeira, R.M.A.
- Guenther, B., Xiong, X., Salomonson, V.V., Barnes, W.L. and Young, J.: On-orbit performance of the Earth Observing System Moderate Resolution Imaging Spectroradiometer; first year of data 83:16
- Guerra, F.: *See* Castel, T.
- Guillemet, B.: *See* Faure, T.
- Guindon, B.: *See* Zhang, Y.
- Guiral, D.: *See* Froidefond, J.-M.
- Häme, T.: *See* Tian, Y.
- Haboudane, D., Miller, J.R., Tremblay, N., Zarco-Tejada, P.J. and Dextraze, L.: Integrated narrow-band vegetation indices for prediction of crop chlorophyll content for application to precision agriculture 81:416
- Hackwell, J.: *See* Kirkland, L.
- Hall, D.K., Riggs, G.A., Salomonson, V.V., DiGirolamo, N.E. and Bayr, K.J.: MODIS snow-cover products 83:181
- Hall, R.J.: *See* Chen, J.M.
- Hallikainen, M.: *See* Koponen, S.
- Hallikainen, M.: *See* Zhang, Y.
- Häme, T.: *See* Tian, Y.
- Hanocq, J.F.: *See* Wan, Z.
- Hansen, M.C., DeFries, R.S., Townshend, J.R.G., Sohlberg, R., Dimiceli, C. and Carroll, M.: Towards an operational MODIS continuous field of percent tree cover algorithm: examples using AVHRR and MODIS data 83:303
- Hansen, M.C., DeFries, R.S., Townshend, J.R.G., Marufu, L. and Sohlberg, R.: Development of a MODIS tree cover validation data set for Western Province, Zambia 83:320
- Hansen, M.C.: *See* Zhan, X.
- Hansen, M.H.: *See* McRoberts, R.E.
- Harris, A.: *See* Wright, R.
- Hasager, C.B.: *See* Boegh, E.
- Hautecoeur, O.: *See* Jacob, F.
- Hay, S.I.: *See* Green, R.M.
- Hedger, R.D., Olsen, N.R.B., Malthus, T.J. and Atkinson, P.M.: Coupling remote sensing with computational fluid dynamics modelling to estimate lake chlorophyll-*a* concentration 79:116
- Herr, K.: *See* Kirkland, L.
- Hiernaux, P.: *See* Jarlan, L.
- Hill, E.: *See* Laba, M.
- Hobson, P.: *See* Schaaf, C.B.
- Hodges, J.C.F.: *See* Friedl, M.A.
- Hoffman, S.: *See* Myneni, R.B.
- Hofton, M.A.: *See* Drake, J.B.
- Holden, H. and LeDrew, E.: Measuring and modeling water column effects on hyperspectral reflectance in a coral reef environment 81:300
- Hong, H.: *See* Tang, D.
- Houllier, F.: *See* Castel, T.
- Hu, B.: *See* Schaaf, C.B.
- Hu, C. and Carder, K.L.: Atmospheric correction for airborne sensors: Comment on a scheme used for CASI 79:134



- Huang, C., Townshend, J.R.G., Liang, S., Kalluri, S.N.V. and DeFries, R.S.: Impact of sensor's point spread function on land cover characterization: assessment and deconvolution 80:203
- Hudak, A.T., Lefsky, M.A., Cohen, W.B. and Berterretche, M.: Integration of lidar and Landsat ETM+ data for estimating and mapping forest canopy height 82:397
- Huete, A., Didan, K., Miura, T., Rodriguez, E.P., Gao, X. and Ferreira, L.G.: Overview of the radiometric and biophysical performance of the MODIS vegetation indices 83:195
- Hunt Jr., E.R.: *See* Parker Williams, A.
- Hwang, P.A., Wright, W., Krabill, W.B. and Swift, R.N.: Airborne remote sensing of breaking waves 80:65
- Hymer, D.C.: *See* Moran, M.S.
- Inoue, Y., Kurosu, T., Maeno, H., Uratsuka, S., Kozu, T., Dabrowska-Zielinska, K. and Qi, J.: Season-long daily measurements of multifrequency (Ka, Ku, X, C, and L) and full-polarization backscatter signatures over paddy rice field and their relationship with biological variables 81:194
- Isaka, H.: *See* Faure, T.
- Ishimoto, H.: *See* Masuda, K.
- Jacob, F., Olioso, A., Weiss, M., Baret, F. and Hautecoeur, O.: Mapping short-wave albedo of agricultural surfaces using airborne POLDER data 80:36
- Jacquemoud, S.: *See* Bacour, C.
- Janke, J.R.: An analysis of the current stability of the Dune Field at Great Sand Dunes National Monument using temporal TM imagery (1984–1998) 83:489
- Jarlan, L., Mougin, E., Frison, P.L., Mazzega, P. and Hiernaux, P.: Analysis of ERS wind scatterometer time series over Sahel (Mali) 81:404
- Jensen, N.O.: *See* Boegh, E.
- Jin, Y.: *See* Schaaf, C.B.
- Johnson, D.M.: *See* Lunetta, R.S.
- Jones, C.: *See* Wyser, K.
- Jupp, D.L.B.: *See* McVicar, T.R.
- Justice, C.O., Townshend, J.R.G., Vermote, E.F., Masuoka, E., Wolfe, R.E., Saleous, N., Roy, D.P. and Morisette, J.T.: An overview of MODIS Land data processing and product status 83:3
- Justice, C.O.: *See* Morisette, J.T.
- Justice, C.O.: *See* Townshend, J.R.G.
- Justice, C.O.: *See* Vermote, E.F.
- Justice, C.O., Giglio, L., Korontzi, S., Owens, J., Morisette, J.T., Roy, D., Descloitres, J., Alleaume, S., Petitcolin, F. and Kaufman, Y.: The MODIS fire products 83:244
- Justice, C.O.: *See* Roy, D.P.
- Kallio, K.: *See* Koponen, S.
- Kalluri, S.N.V.: *See* Huang, C.
- Kaufman, Y.: *See* Justice, C.O.
- Kaufman, Y.J.: *See* Gitelson, A.A.
- Kaufmann, H.: *See* Thiernann, S.
- Kawamura, H.: *See* Tang, D.
- Keim, E.: *See* Kirkland, L.
- Keller, M.: *See* Asner, G.P.
- Kennedy, P.: *See* Tomppo, E.
- Kern, S.: *See* Garrity, C.
- Kerr, Y.: *See* Moran, M.S.
- Kester, D.R.: *See* Tang, D.
- Kharuk, V.I.: *See* Sun, G.
- Kim, D.-j. and Moon, W.M.: Estimation of sea surface wind vector using RADARSAT data 80:55
- Kim, G. and Barros, A.P.: Space–time characterization of soil moisture from passive microwave remotely sensed imagery and ancillary data 81:393
- Kim, G. and Barros, A.P.: Downscaling of remotely sensed soil moisture with a modified fractal interpolation method using contraction mapping and ancillary data 83:401
- Kimes, D., Gastellu-Etcheberry, J. and Estève, P.: Recovery of forest canopy characteristics through inversion of a complex 3D model 79:320
- King, D.J.: *See* Chen, J.M.
- King, D.J.: *See* Pouliot, D.A.
- Kirkland, L., Herr, K., Keim, E., Adams, P., Salisbury, J., Hackwell, J. and Treiman, A.: First use of an airborne thermal infrared hyperspectral scanner for compositional mapping 80:447
- Kloiber, S.M., Brezonik, P.L., Olmanson, L.G. and Bauer, M.E.: A procedure for regional lake water clarity assessment using Landsat multispectral data 82:38
- Knox, R.G.: *See* Drake, J.B.
- Knyazikhin, Y.: *See* Myneni, R.B.
- Knyazikhin, Y.: *See* Privette, J.L.
- Knox, R.G.: *See* Drake, J.B.
- Knyazikhin, Y.: *See* Tian, Y.
- Knyazikhin, Y.: *See* Zhang, Y.
- Koponen, S.: *See* Zhang, Y.
- Koponen, S., Pulliainen, J., Kallio, K. and Hallikainen, M.: Lake water quality classification with airborne hyperspectral spectrometer and simulated MERIS data 79:51
- Korontzi, S.: *See* Justice, C.O.
- Kozu, T.: *See* Inoue, Y.
- Krabill, W.B.: *See* Hwang, P.A.
- Krosley, L.: *See* Chabrillat, S.
- Kuo, T.-H.: *See* Liu, G.-R.
- Kupiec, J.A.: *See* O'Neill, A.L.
- Kurosu, T.: *See* Inoue, Y.
- Kusk, A.: *See* Gemmell, F.
- Kuyper, J.A.: *See* Wolfe, R.E.
- Laba, M., Gregory, S.K., Braden, J., Ogurcak, D., Hill, E., Fegraus, E., Fiore, J. and DeGloria, S.D.: Conventional and fuzzy accuracy assessment of the New York Gap Analysis Project land cover map 81:443

- Lacaze, R., Chen, J.M., Roujean, J.-L. and Leblanc, S.G.: Retrieval of vegetation clumping index using hot spot signatures measured by POLDER instrument 79:84
- Lafon, V., Froidefond, J.M., Lahet, F. and Castaing, P.: SPOT shallow water bathymetry of a moderately turbid tidal inlet based on field measurements 81:136
- Lahet, F.: *See* Lafon, V.
- Lakshmi, V., Small, J. and Goetz, S.: Comparison of surface meteorological variables from TOVS and AVHRR 79:176
- Lanfen, Z.: *See* Weidong, L.
- Lavender, S.: *See* Doxaran, D.
- Le Borgne, P.: *See* François, C.
- Leblanc, S.G.: *See* Chen, J.M.
- Leblanc, S.G.: *See* Lacaze, R.
- Leblanc, S.G.: *See* Privette, J.L.
- LeDrew, E.: *See* Holden, H.
- Lefsky, M.A.: *See* Hudak, A.T.
- Leroy, M.: *See* Duchemin, B.
- Lewis, H.G.: *See* Tatem, A.J.
- Lewis, P.: *See* Schaaf, C.B.
- Lewis, P.E.: *See* Roy, D.P.
- Li, X.: *See* Schaaf, C.B.
- Li, X.: *See* Song, C.
- Li, Z.: *See* Fraser, R.H.
- Li, Z.: *See* Trishchenko, A.P.
- Li, Z.-L.: *See* Wan, Z.
- Liang, S.: *See* Huang, C.
- Liang, S.: *See* Schaaf, C.B.
- Liang, S., Fang, H., Chen, M., Shuey, C.J., Walthall, C., Daughtry, C., Morissette, J., Schaaf, C. and Strahler, A.: Validating MODIS land surface reflectance and albedo products: methods and preliminary results 83:149
- Liangrocapart, S. and Petrou, M.: A two-layer model of the bidirectional reflectance of homogeneous vegetation canopies 80:17
- Lillesand, T.M.: *See* Reese, H.M.
- Lin, T.-H.: *See* Liu, G.-R.
- Liu, G.-R., Lin, T.-H. and Kuo, T.-H.: Estimation of aerosol optical depth by applying the optimal distance number to NOAA AVHRR data 81:247
- Liu, J.: *See* Xiao, X.
- Liu, M.: *See* Xiao, X.
- Lotsch, A.: *See* Mynen, R.B.
- Lubin, D.: *See* Garrity, C.
- Lucht, W.: *See* Schaaf, C.B.
- Luis, A.J.: *See* Tang, D.
- Lunetta, R.S., Ediriwickrema, J., Johnson, D.M., Lyon, J.G. and McKerrow, A.: Impacts of vegetation dynamics on the identification of land-cover change in a biologically complex community in North Carolina, USA 82:258
- Lyon, J.G.: *See* Lunetta, R.S.
- MacPherson, J.I.: *See* Bussi eres, N.
- Maeno, H.: *See* Inoue, Y.
- Maiersperger, T.K.: *See* Turner, D.P.
- Maisongrande, P.: *See* Duchemin, B.
- Maisongrande, P.: *See* Duchemin, B.
- Malthus, T.J.: *See* Hedger, R.D.
- Mannel, S.: *See* Wylie, B.K.
- Mano, Y.: *See* Masuda, K.
- Marani, A.: *See* Silvestri, S.
- Marani, M.: *See* Silvestri, S.
- Markus, T.: *See* Dokken, S.T.
- Marsouin, A.: *See* Fran ois, C.
- Marufu, L.: *See* Hansen, M.C.
- Marullo, S.: *See* D'Ortenzio, F.
- Masuda, K., Mano, Y., Ishimoto, H., Tokuno, M., Yoshizaki, Y. and Okawara, N.: Assessment of the nonsphericity of mineral dust from geostationary satellite measurements 82:238
- Masuoka, E.: *See* Justice, C.O.
- Matsushita, B. and Tamura, M.: Integrating remotely sensed data with an ecosystem model to estimate net primary productivity in East Asia 81:58
- Mazzega, P.: *See* Jarlan, L.
- McIver, D.K. and Friedl, M.A.: Using prior probabilities in decision-tree classification of remotely sensed data 81:253
- McIver, D.K.: *See* Friedl, M.A.
- McKerrow, A.: *See* Lunetta, R.S.
- McNairn, H.: *See* Wood, D.
- McNairn, H.: *See* Wood, D.
- McNairn, H., Duguay, C., Brisco, B. and Pultz, T.J.: The effect of soil and crop residue characteristics on polarimetric radar response 80:308
- McRoberts, R.E., Wendt, D.G., Nelson, M.D. and Hansen, M.H.: Using a land cover classification based on satellite imagery to improve the precision of forest inventory area estimates 81:36
- McRoberts, R.E., Nelson, M.D. and Wendt, D.G.: Stratified estimation of forest area using satellite imagery, inventory data, and the *k*-Nearest Neighbors technique 82:457
- McVicar, T.R. and Jupp, D.L.B.: Using covariates to spatially interpolate moisture availability in the Murray-Darling Basin: A novel use of remotely sensed data 79:199
- Meli , J.: *See* Gilabert, M.A.
- Mets m ki, S., Veps l inen, J., Pulliainen, J. and Sucksdorff, Y.: Improved linear interpolation method for the estimation of snow-covered area from optical data 82:64
- Meyer, D.J.: *See* Wylie, B.K.
- Mikkelsen, O.A.: Variation in the projected surface area of suspended particles: Implications for remote sensing assessment of TSM 79:23
- Miller, J.D. and Yool, S.R.: Mapping forest post-fire canopy consumption in several overstory types using multi-temporal Landsat TM and ETM data 82:481
- Miller, J.R.: *See* Haboudane, D.

- Miller, P.: *See* Caldeira, R.M.A.  
 Min, K.D.: *See* Ryu, J.-H.  
 Miura, T.: *See* Huete, A.  
 Mladenoff, D.J.: *See* Dymond, C.C.  
 Moon, W.M.: *See* Kim, D.-j.  
 Moran, M.S., Hymer, D.C., Qi, J. and Kerr, Y.: Comparison of ERS-2 SAR and Landsat TM imagery for monitoring agricultural crop and soil conditions 79:243  
 Morisette, J.: *See* Liang, S.  
 Morisette, J.T.: *See* Justice, C.O.  
 Morisette, J.T.: *See* Myneni, R.B.  
 Morisette, J.T., Privette, J.L. and Justice, C.O.: A framework for the validation of MODIS Land products 83:77  
 Mortensen, J.V.: *See* Broge, N.H.  
 Mougin, E.: *See* Jarlan, L.  
 Muchoney, D.: *See* Friedl, M.A.  
 Muchoney, D.M. and Strahler, A.H.: Pixel- and site-based calibration and validation methods for evaluating supervised classification of remotely sensed data 81:290  
 Mukelabai, M.: *See* Privette, J.L.  
 Muller, J.-P.: *See* Schaaf, C.B.  
 Mumby, P.J. and Edwards, A.J.: Mapping marine environments with IKONOS imagery: enhanced spatial resolution can deliver greater thematic accuracy 82:248  
 Myneni, R.B.: *See* Tian, Y.  
 Myneni, R.B.: *See* Zhang, Y.  
 Myneni, R.B., Hoffman, S., Knyazikhin, Y., Privette, J.L., Glassy, J., Tian, Y., Wang, Y., Song, X., Zhang, Y., Smith, G.R., Lotsch, A., Friedl, M., Morisette, J.T., Votava, P., Nemani, R.R. and Running, S.W.: Global products of vegetation leaf area and fraction absorbed PAR from year one of MODIS data 83:214  
 Myneni, R.B.: *See* Privette, J.L.
- Næsset, E. and Økland, T.: Estimating tree height and tree crown properties using airborne scanning laser in a boreal nature reserve 79:105  
 Næsset, E.: Predicting forest stand characteristics with airborne scanning laser using a practical two-stage procedure and field data 80:88  
 Nagel, D.E.: *See* Reese, H.M.  
 Nelson, M.D.: *See* McRoberts, R.E.  
 Nelson, M.D.: *See* McRoberts, R.E.  
 Nemani, R.R.: *See* Myneni, R.B.  
 Nezhlin, N.P.: *See* Caldeira, R.M.A.  
 Ni, I.-H.: *See* Tang, D.  
 Nilsson, M.: *See* Tomppo, E.  
 Nishihama, M.: *See* Wolfe, R.E.  
 Nixon, M.S.: *See* Tatem, A.J.  
 North, P.R.J.: Estimation of  $f_{APAR}$ , LAI, and vegetation fractional cover from ATSR-2 imagery 80:114
- Oerlemans, J.: *See* Greuell, W.  
 Ogurcak, D.: *See* Laba, M.
- Ohde, T., Sturm, B. and Siegel, H.: Derivation of SeaWiFS vicarious calibration coefficients using in situ measurements in Case 2 water of the Baltic Sea 80:248  
 O'Hirok, W.: *See* Wyser, K.  
 Okawara, N.: *See* Masuda, K.  
 Økland, T.: *See* Næsset, E.  
 Olesen, F.S.: *See* Göttsche, F.-M.  
 Oliso, A.: *See* Jacob, F.  
 Olmanson, L.G.: *See* Kloiber, S.M.  
 Olsen, H.W.: *See* Chabrillat, S.  
 Olsen, N.R.B.: *See* Hedger, R.D.  
 O'Neill, A.L., Kupiec, J.A. and Curran, P.J.: Biochemical and reflectance variation throughout a Sitka spruce canopy 80:134  
 Ouaidrari, H., Goward, S.N., Czajkowski, K.P., Sobrino, J.A. and Vermote, E.: Land surface temperature estimation from AVHRR thermal infrared measurements An assessment for the AVHRR Land Pathfinder II data set 81:114  
 Owens, J.: *See* Justice, C.O.  
 Ozdogan, M.: *See* Tian, Y.  
 Ozdogan, M.: *See* Tian, Y.
- Parker Williams, A. and Hunt Jr., E.R.: Estimation of leafy spurge cover from hyperspectral imagery using mixture tuned matched filtering 82:446  
 Parra, M.: *See* Froidefond, J.-M.  
 Patt, F.S.: *See* Wolfe, R.E.  
 Pattey, E.: *See* Strachan, I.B.  
 Pavlic, G.: *See* Chen, J.M.  
 Peñuelas, J.: *See* Serrano, L.  
 Peddle, D.R.: *See* Chen, J.M.  
 Pedersen, L.T.: *See* Garrity, C.  
 Pekkarinen, A.: Image segment-based spectral features in the estimation of timber volume 82:349  
 Pelgrum, H.: *See* Schmugge, T.  
 Pellikka, P.K.E.: *See* Chen, J.M.  
 Pereira, J.M.C.: *See* Stroppiana, D.  
 Pereira Jr., R.: *See* Asner, G.P.  
 Petitcolin, F. and Vermote, E.: Land surface reflectance, emissivity and temperature from MODIS middle and thermal infrared data 83:112  
 Petitcolin, F.: *See* Justice, C.O.  
 Petrou, M.: *See* Liangrocapt, S.  
 Pilger, E.: *See* Wright, R.  
 Pilgrim, D.: *See* Caldeira, R.M.A.  
 Pinnock, S.: *See* Stroppiana, D.  
 Pinty, B.: *See* Ceccato, P.  
 Pitt, D.G.: *See* Pouliot, D.A.  
 Pouliot, D.A., King, D.J., Bell, F.W. and Pitt, D.G.: Automated tree crown detection and delineation in high-resolution digital camera imagery of coniferous forest regeneration 82:322  
 Prince, S.D.: *See* Drake, J.B.  
 Prince, S.D.: *See* Gleason, A.C.R.  
 Privette, J.L.: *See* Morisette, J.T.

- Privette, J.L.: *See* Myneni, R.B.  
 Privette, J.L.: *See* Schaaf, C.B.  
 Privette, J.L.: *See* Tian, Y.  
 Privette, J.L., Myneni, R.B., Knyazikhin, Y., Mukelabai, M., Roberts, G., Tian, Y., Wang, Y. and Leblanc, S.G.: Early spatial and temporal validation of MODIS LAI product in the Southern Africa Kalahari 83:232  
 Pulliainen, J.: *See* Koponen, S.  
 Pulliainen, J.: *See* Metsämäki, S.  
 Pulliainen, J.: *See* Zhang, Y.  
 Pultz, T.J.: *See* McNairn, H.
- Qi, J.: *See* Inoue, Y.  
 Qi, J.: *See* Moran, M.S.  
 Qin, W., Gerstl, S.A.W., Deering, D.W. and Goel, N.S.: Characterizing leaf geometry for grass and crop canopies from hotspot observations: A simulation study 80:100  
 Qingxi, T.: *See* Weidong, L.
- Radeloff, V.C.: *See* Dymond, C.C.  
 Ragni, M.: *See* D'Ortenzio, F.  
 Rainey, M.P.: *See* Bryant, R.G.  
 Ramesh Kumar, M.R. and Schulz, J.: Analysis of freshwater flux climatology over the Indian Ocean using the HOAPS data 80:363  
 Rango, A.: *See* Schmugge, T.  
 Ranson, K.J.: *See* Sun, G.  
 Rasmussen, K.: *See* Sandholt, I.  
 Realmuto, V.J.: *See* Buongiorno, M.F.  
 Reese, H.M., Lillesand, T.M., Nagel, D.E., Stewart, J.S., Goldmann, R.A., Simmons, T.E., Chipman, J.W. and Tessar, P.A.: Statewide land cover derived from multi-seasonal Landsat TM data: A retrospective of the WISCLAND project 82:224  
 Reijmer, C.H.: *See* Greuell, W.  
 Riaño, D., Chuvieco, E., Ustin, S., Zomer, R., Dennison, P., Roberts, D. and Salas, J.: Assessment of vegetation regeneration after fire through multitemporal analysis of AVIRIS images in the Santa Monica Mountains 79:60  
 Ribera d'Alcalà, M.: *See* D'Ortenzio, F. 82:79  
 Riggs, G.A.: *See* Hall, D.K.  
 Ritchie, J.C.: *See* Schmugge, T.  
 Rivard, B.: *See* Bechtel, R.  
 Roberts, D.: *See* Riaño, D.  
 Roberts, D.A.: *See* Rogan, J.  
 Roberts, G.: *See* Schaaf, C.B.  
 Roberts, G.: *See* Privette, J.L.  
 Rodriguez, E.P.: *See* Huete, A.  
 Rogan, J., Franklin, J. and Roberts, D.A.: A comparison of methods for monitoring multitemporal vegetation change using Thematic Mapper imagery 80:143  
 Rojas, F., Schowengerdt, R.A. and Biggar, S.F.: Early results on the characterization of the Terra MODIS spatial response 83:50  
 Rosengren, M.: *See* Tomppo, E.
- Roujean, J.-L.: *See* Lacaze, R.  
 Roujean, J.-L.: *See* van Leeuwen, W.J.D.  
 Roy, D.: *See* Justice, C.O.  
 Roy, D.: *See* Schaaf, C.B.  
 Roy, D.P.: *See* Justice, C.O.  
 Roy, D.P.: *See* Wolfe, R.E.  
 Roy, D.P., Borak, J.S., Devadiga, S., Wolfe, R.E., Zheng, M. and Descloitres, J.: The MODIS Land product quality assessment approach 83:62  
 Roy, D.P., Lewis, P.E. and Justice, C.O.: Burned area mapping using multi-temporal moderate spatial resolution data—a bi-directional reflectance model-based expectation approach 83:263  
 Rundquist, B.C.: The influence of canopy green vegetation fraction on spectral measurements over native tallgrass prairie 81:129  
 Rundquist, D.: *See* Gitelson, A.A.  
 Running, S.W.: *See* Myneni, R.B.  
 Ryu, J.-H., Won, J.-S. and Min, K.D.: Waterline extraction from Landsat TM data in a tidal flat: A case study in Gomso Bay, Korea 83:443
- Sabbe, H.: *See* Veroustraete, F.  
 Sabol Jr., D.E., Gillespie, A.R., Adams, J.B., Smith, M.O. and Tucker, C.J.: Structural stage in Pacific Northwest forests estimated using simple mixing models of multispectral images 80:1  
 Sader, S.A.: *See* Wilson, E.H.  
 Salas, J.: *See* Riaño, D.  
 Saleous, N.: *See* Justice, C.O.  
 Salinas-Zavala, C.A., Douglas, A.V. and Diaz, H.F.: Interannual variability of NDVI in northwest Mexico. Associated climatic mechanisms and ecological implications 82:417  
 Salisbury, J.: *See* Kirkland, L.  
 Salomonson, V.V.: *See* Guenther, B.  
 Salomonson, V.V.: *See* Hall, D.K.  
 Salomonson, V.V.: *See* Wan, Z.  
 Sánchez-Azofeifa, A.: *See* Bechtel, R.  
 Sandholt, I., Rasmussen, K. and Andersen, J.: A simple interpretation of the surface temperature/vegetation index space for assessment of surface moisture status 79:213  
 Santoleri, R.: *See* D'Ortenzio, F.  
 Santoro, M., Askne, J., Smith, G. and Fransson, J.E.S.: Stem volume retrieval in boreal forests from ERS-1/2 interferometry 81:19  
 Scanlon, T.M., Albertson, J.D., Caylor, K.K. and Williams, C.A.: Determining land surface fractional cover from NDVI and rainfall time series for a savanna ecosystem 82:376  
 Schaaf, C.: *See* Friedl, M.A.  
 Schaaf, C.: *See* Liang, S.  
 Schaaf, C.B., Gao, F., Strahler, A.H., Lucht, W., Li, X., Tsang, T., Strugnell, N.C., Zhang, X., Jin, Y., Muller, J.-P., Lewis, P., Barnsley, M., Hobson, P.,



- Disney, M., Roberts, G., Dunderdale, M., Doll, C., d'Entremont, R.P., Hu, B., Liang, S., Privette, J.L. and Roy, D.: First operational BRDF, albedo nadir reflectance products from MODIS 83:135
- Schelde, K.: *See* Boegh, E.
- Schmugge, T., French, A., Ritchie, J.C., Rango, A. and Pelgrum, H.: Temperature and emissivity separation from multispectral thermal infrared observations 79:189
- Schneider, A.: *See* Friedl, M.A.
- Schowengerdt, R.A.: *See* Rojas, F.
- Schulz, J.: *See* Ramesh Kumar, M.R.
- Serrano, L., Peñuelas, J. and Ustin, S.L.: Remote sensing of nitrogen and lignin in Mediterranean vegetation from AVIRIS dataDecomposing biochemical from structural signals 81:355
- Settle, J.: *See* Silvestri, S.
- Shabanov, N.: *See* Zhang, Y.
- Shabanov, N.V.: *See* Tian, Y.
- Shabanov, N.V.: *See* Tian, Y.
- Shimabukuro, Y.E.: *See* Almeida-Filho, R.
- Shirey, D.: *See* Czajkowski, K.P.
- Shoshany, M. and Svoray, T.: Multidate adaptive unmixing and its application to analysis of ecosystem transitions along a climatic gradient 82:5
- Shuey, C.J.: *See* Liang, S.
- Siegel, H.: *See* Ohde, T.
- Silvestri, S., Marani, M., Settle, J., Benvenuto, F. and Marani, A.: Salt marsh vegetation radiometryData analysis and scaling 80:473
- Simmons, T.E.: *See* Reese, H.M.
- Sims, D.A. and Gamon, J.A.: Relationships between leaf pigment content and spectral reflectance across a wide range of species, leaf structures and developmental stages 81:337
- Small, C.: Multitemporal analysis of urban reflectance 81:427
- Smith, G.: *See* Santoro, M.
- Smith, G.R.: *See* Myneni, R.B.
- Small, J.: *See* Gleason, A.C.R.
- Small, J.: *See* Lakshmi, V.
- Smith, M.O.: *See* Sabol Jr., D.E.
- Sobrino, J.A.: *See* Ouaidrari, H.
- Soegaard, H.: *See* Boegh, E.
- Soegaard, H.: *See* Boegh, E.
- Sohlberg, R.: *See* Hansen, M.C.
- Sohlberg, R.: *See* Hansen, M.C.
- Sohlberg, R.A.: *See* Zhan, X.
- Sommer, S.: *See* García-Haro, F.J.
- Song, C. and Woodcock, C.E.: The spatial manifestation of forest succession in optical imageryThe potential of multiresolution imagery 82:271
- Song, C., Woodcock, C.E. and Li, X.: The spectral/temporal manifestation of forest succession in optical imageryThe potential of multitemporal imagery 82:285
- Song, X.: *See* Myneni, R.B.
- Stark, R.: *See* Gitelson, A.A.
- Stewart, J.S.: *See* Reese, H.M.
- Storey, J.C.: *See* Wolfe, R.E.
- Stow, D.A. and Chen, D.M.: Sensitivity of multitemporal NOAA AVHRR data of an urbanizing region to land-use/land-cover changes and misregistration 80:297
- Strachan, I.B., Pattey, E. and Boisvert, J.B.: Impact of nitrogen and environmental conditions on corn as detected by hyperspectral reflectance 80:213
- Strahler, A.: *See* Liang, S.
- Strahler, A.H.: *See* Friedl, M.A.
- Strahler, A.H.: *See* Muchoney, D.M.
- Strahler, A.H.: *See* Schaaf, C.B.
- Strandstrom, M.: *See* Gemmell, F.
- Stroppiana, D., Pinnock, S., Pereira, J.M.C. and Grégoire, J.-M.: Radiometric analysis of SPOT-VEGETATION images for burnt area detection in Northern Australia 82:21
- Strugnell, N.C.: *See* Schaaf, C.B.
- Sturm, B.: *See* Ohde, T.
- Sucksdorff, Y.: *See* Metsämäki, S.
- Sun, G., Ranson, K.J. and Kharuk, V.I.: Radiometric slope correction for forest biomass estimation from SAR data in the Western Sayani Mountains, Siberia 79:279
- Surdyk, S.: Using microwave brightness temperature to detect short-term surface air temperature changes in Antarctica: An analytical approach 80:256
- Svoray, T.: *See* Shoshany, M.
- Swift, E.: *See* Chen, J.M.
- Swift, R.N.: *See* Hwang, P.A.
- Tamura, M.: *See* Matsushita, B.
- Tang, D., Kawamura, H. and Luis, A.J.: Short-term variability of phytoplankton blooms associated with a cold eddy in the northwestern Arabian Sea 81:82
- Tang, D., Kester, D.R., Ni, I.-H., Kawamura, H. and Hong, H.: Upwelling in the Taiwan Strait during the summer monsoon detected by satellite and shipboard measurements 83:458
- Tarantola, S.: *See* Ceccato, P.
- Tatem, A.J., Lewis, H.G., Atkinson, P.M. and Nixon, M.S.: Super-resolution land cover pattern prediction using a Hopfield neural network 79:1
- Taylor, G.R.: *See* Dehaan, R.L.
- Teillet, P.M.: *See* Du, Y.
- Ternon, J.-F.: *See* Froidefond, J.-M.
- Tessar, P.A.: *See* Reese, H.M.
- Thiemann, S. and Kaufmann, H.: Lake water quality monitoring using hyperspectral airborne data—a semi-empirical multisensor and multitemporal approach for the Mecklenburg Lake District, Germany 81:228
- Thomas, A., Byrne, D. and Weatherbee, R.: Coastal sea surface temperature variability from Landsat infrared data 81:262
- Thomsen, A.: *See* Boegh, E.
- Thomsen, A.: *See* Boegh, E.

- Tian, Y.: *See* Zhang, Y.
- Tian, Y., Woodcock, C.E., Wang, Y., Privette, J.L., Shabanov, N.V., Zhou, L., Zhang, Y., Buermann, W., Dong, J., Veikkanen, B., Häme, T., Andersson, K., Ozdogan, M., Knyazikhin, Y. and Myneni, R.B.: Multi-scale analysis and validation of the MODIS LAI productI. Uncertainty assessment 83:415
- Tian, Y., Woodcock, C.E., Wang, Y., Privette, J.L., Shabanov, N.V., Zhou, L., Zhang, Y., Buermann, W., Dong, J., Veikkanen, B., Häme, T., Andersson, K., Ozdogan, M., Knyazikhin, Y. and Myneni, R.B.: Multi-scale analysis and validation of the MODIS LAI productII. Sampling strategy 83:432
- Tian, Y.: *See* Myneni, R.B.
- Tian, Y.: *See* Privette, J.L.
- Tieszen, L.L.: *See* Wylie, B.K.
- Tokuno, M.: *See* Masuda, K.
- Tomppo, E., Nilsson, M., Rosengren, M., Aalto, P. and Kennedy, P.: Simultaneous use of Landsat-TM and IRS-1C WiFS data in estimating large area tree stem volume and aboveground biomass 82:156
- Tourbier, Y.: *See* Bacour, C.
- Townsend, P.A.: Estimating forest structure in wetlands using multitemporal SAR 79:288
- Townshend, J.R.G.: *See* Huang, C.
- Townshend, J.R.G.: *See* Hansen, M.C.
- Townshend, J.R.G.: *See* Zhan, X.
- Townshend, J.R.G.: *See* Justice, C.O.
- Townshend, J.R.G. and Justice, C.O.: Towards operational monitoring of terrestrial systems by moderate-resolution remote sensing 83:351
- Treiman, A.: *See* Kirkland, L.
- Tremblay, N.: *See* Haboudane, D.
- Trishchenko, A.P., Cihlar, J. and Li, Z.: Effects of spectral response function on surface reflectance and NDVI measured with moderate resolution satellite sensors 81:1
- Trofymow, J.A.: *See* Chen, J.M.
- Tsang, T.: *See* Schaaf, C.B.
- Tucker, C.J.: *See* Sabol Jr., D.E.
- Turner, D.P., Gower, S.T., Cohen, W.B., Gregory, M. and Maersperger, T.K.: Effects of spatial variability in light use efficiency on satellite-based NPP monitoring 80:397
- Uratsuka, S.: *See* Inoue, Y.
- Ustin, S.: *See* Riaño, D.
- Ustin, S.L.: *See* Serrano, L.
- Van der Sanden, J.: *See* Chen, J.M.
- Van Leeuwen, W.J.D. and Roujean, J.-L.: Land surface albedo from the synergistic use of polar (EPS) and geostationary (MSG) observing systemsAn assessment of physical uncertainties 81:273
- Varjo, J.: *See* Gemmell, F.
- Veikkanen, B.: *See* Tian, Y.
- Veikkanen, B.: *See* Tian, Y.
- Vepsäläinen, J.: *See* Metsämäki, S.
- Verhoeve, J. and De Wulf, R.: Land cover mapping at sub-pixel scales using linear optimization techniques 79:96
- Vermote, E.: *See* Ouaidrari, H.
- Vermote, E.: *See* Petitcolin, F.
- Vermote, E.F.: *See* Justice, C.O.
- Vermote, E.F., El Saleous, N.Z. and Justice, C.O.: Atmospheric correction of MODIS data in the visible to middle infrared: first results 83:97
- Veroustraete, F., Sabbe, H. and Eerens, H.: Estimation of carbon mass fluxes over Europe using the C-Fix model and Euroflux data 83:377
- Verseghy, D.: *See* Bussi res, N.
- Vesperini, M.: ECMWF analyses of humidity: comparisons to POLDER estimates over land 82:469
- Votava, P.: *See* Myneni, R.B.
- Walthall, C.: *See* Liang, S.
- Walz, A.: *See* Czajkowski, K.P.
- Wan, Z.: Estimate of noise and systematic error in early thermal infrared data of the Moderate Resolution Imaging Spectroradiometer (MODIS) 80:47
- Wan, Z., Zhang, Y., Li, Z.-l., Wang, R., Salomonson, V.V., Yves, A., Bosseno, R. and Hanocq, J.F.: Preliminary estimate of calibration of the moderate resolution imaging spectroradiometer thermal infrared data using Lake Titicaca 80:497
- Wan, Z., Zhang, Y., Zhang, Q. and Li, Z.-l.: Validation of the land-surface temperature products retrieved from Terra Moderate Resolution Imaging Spectroradiometer data 83:163
- Wang, G.: *See* Gertner, G.
- Wang, M. and Gordon, H.R.: Calibration of ocean color scanners: how much error is acceptable in the near infrared? 82:497
- Wang, R.: *See* Wan, Z.
- Wang, Y.: *See* Myneni, R.B.
- Wang, Y.: *See* Privette, J.L.
- Wang, Y.: *See* Tian, Y.
- Weatherbee, R.: *See* Thomas, A.
- Weidong, L., Baret, F., Xingfa, G., Qingxi, T., Lanfen, Z. and Bing, Z.: Relating soil surface moisture to reflectance 81:238
- Weishampel, J.F.: *See* Drake, J.B.
- Weiss, M.: *See* Jacob, F.
- Wendt, D.G.: *See* McRoberts, R.E.
- Wendt, D.G.: *See* McRoberts, R.E.
- White, H.P.: *See* Chen, J.M.
- Williams, C.A.: *See* Scanlon, T.M.
- Wilson, E.H. and Sader, S.A.: Detection of forest harvest type using multiple dates of Landsat TM imagery 80:385
- Winsor, P.: *See* Dokken, S.T.
- Wolfe, R.E.: *See* Justice, C.O.
- Wolfe, R.E.: *See* Roy, D.P.
- Wolfe, R.E., Nishihama, M., Fleig, A.J., Kuyper, J.A., Roy, D.P., Storey, J.C. and Patt, F.S.: Achieving sub-

- pixel geolocation accuracy in support of MODIS land science 83:31
- Won, J.-S.: *See* Ryu, J.-H.
- Wood, D., McNairn, H., Brown, R.J. and Dixon, R.: The effect of dew on the use of RADARSAT-1 for crop monitoring Choosing between ascending and descending orbits 80:241
- Wood, D., McNairn, H., Brown, R.J. and Dixon, R.: Erratum to The effect of dew on the use of RADARSAT-1 for crop monitoring Choosing between ascending and descending orbits [Remote Sensing of Environment 80/2 (2002 241-247)] 81:456
- Woodcock, C.E.: *See* Friedl, M.A.
- Woodcock, C.E.: *See* Tian, Y.
- Woodcock, C.E.: *See* Song, C.
- Woodcock, C.E.: *See* Zhang, Y.
- Wright, R., Flynn, L., Garbeil, H., Harris, A. and Pilger, E.: Automated volcanic eruption detection using MODIS 82:135
- Wright, W.: *See* Hwang, P.A.
- Wylie, B.K., Meyer, D.J., Tieszen, L.L. and Mannel, S.: Satellite mapping of surface biophysical parameters at the biome scale over the North American grasslands A case study 79:266
- Wyser, K., O'Hirok, W., Gautier, C. and Jones, C.: Remote sensing of surface solar irradiance with corrections for 3-D cloud effects 80:272
- Xiao, X., Boles, S., Liu, J., Zhuang, D. and Liu, M.: Characterization of forest types in Northeastern China, using multi-temporal SPOT-4 VEGETATION sensor data 82:335
- Xingfa, G.: *See* Weidong, L.
- Xiong, X.: *See* Guenther, B.
- Xue, Y.: *See* Goward, S.N.
- Yool, S.R.: *See* Miller, J.D.
- Yoshizaki, Y.: *See* Masuda, K.
- Young, J.: *See* Guenther, B.
- Yves, A.: *See* Wan, Z.
- Zarco-Tejada, P.J.: *See* Haboudane, D.
- Zhan, X., Sohlberg, R.A., Townshend, J.R.G., DiMiceli, C., Carroll, M.L., Eastman, J.C., Hansen, M.C. and DeFries, R.S.: Detection of land cover changes using MODIS 250 m data 83:336
- Zhang, Q.: *See* Wan, Z.
- Zhang, X.: *See* Schaaf, C.B.
- Zhang, X.Y.: *See* Friedl, M.A.
- Zhang, Y., Tian, Y., Myneni, R.B., Knyazikhin, Y. and Woodcock, C.E.: Assessing the information content of multiangle satellite data for mapping biomesI. Statistical analysis 80:418
- Zhang, Y.: *See* Myneni, R.B.
- Zhang, Y.: *See* Tian, Y.
- Zhang, Y.: *See* Wan, Z.
- Zhang, Y., Pulliainen, J., Koponen, S. and Hallikainen, M.: Application of an empirical neural network to surface water quality estimation in the Gulf of Finland using combined optical data and microwave data 81:327
- Zhang, Y., Guindon, B. and Cihlar, J.: An image transform to characterize and compensate for spatial variations in thin cloud contamination of Landsat images 82:173
- Zhang, Y., Shabanov, N., Knyazikhin, Y. and Myneni, R.B.: Assessing the information content of multiangle satellite data for mapping biomesII. Theory 80:435
- Zheng, M.: *See* Roy, D.P.
- Zhou, L.: *See* Tian, Y.
- Zhou, L.: *See* Tian, Y.
- Zhu, G. and Blumberg, D.G.: Classification using ASTER data and SVM algorithms: The case study of Beer Sheva, Israel 80:233
- Zhuang, D.: *See* Xiao, X.
- Zomer, R.: *See* Riaño, D.
- Zweede, J.C.: *See* Asner, G.P.

## Subject Index for Volumes 79–83

### Accuracy Assessment

- Status of land cover classification accuracy assessment, Giles M. Foody, 80:185
- Conventional and fuzzy accuracy assessment of the New York Gap Analysis Project land cover map, M. Laba et al., 81:443
- Chance correction and map evaluation, Goksel Turk, 82:1
- Response to letter by G. Turk on chance correction and map evaluation, Stephen V. Stehman, 82:4
- Impacts of vegetation dynamics on the identification of land-cover change in a biologically complex community in North Carolina, USA, Ross S. Lunetta, Jayantha Ediriwickrema, David M. Johnson, John G. Lyon and Alexa McKerrow, 82:258
- Development of a MODIS tree cover validation data set for Western Province, Zambia, M.C. Hansen, R.S. DeFries, J.R.G. Townshend, L. Marufu and R. Sohlberg, 83:320
- A framework for the validation of MODIS land products, J.T. Morisette and J.L. Privette, 83:77
- The MODIS land product quality assessment approach, D.P. Roy, J.S. Borak, S. Devadiga, R.E. Wolfe, M. Zheng and J. Descloitres, 83:62
- Multiscale analysis and validation of the MODIS LAI product over Maun, Botswana II. Sampling Strategy, Y. Tian, 83:431

### Albedo

- Mapping short-wave albedo of agricultural surfaces using airborne POLDER data, F. Jacob, A. Olioso, M. Weiss, F. Baret and O. Hautecoeur, 80:36
- Land surface albedo from the synergistic use of polar (EPS) and geo-stationary (MSG) observing systems – An assessment of physical uncertainties, Willem J.D. van Leeuwen and Jean-Louis Roujean, 81:273
- Narrowband-to-broadband albedo conversion for glacier ice and snow based on aircraft and near-surface measurements, Wouter Greuell, Carleen H. Reijmer and Johannes Oerlemans, 82:48
- Narrowband to broadband conversions of land surface albedo: II. validation, S. Liang, 00:00
- Validating MODIS land surface reflectance and albedo products: methods and preliminary results, S. Liang, H. Fang, M. Chen, C.J. Shuey, C. Walthall, C. Daughtry, J. Morisette, C. Schaaf and A. Strahler, 83:149

- First operational BRDF, albedo and nadir reflectance products from MODIS, C.B. Schaaf, F. Gao, A.H. Strahler, W. Lucht, X. Li, T. Tsang, N.C. Strugnell, X. Zhang, Y. Jin, J.-P. Muller, P. Lewis, M. Barnsley, P. Hobson, M. Disney, G. Roberts, M. Dunderdale, C. Doll, R.P. d'Entremont, B. Hu, S. Liang, J.L. Privette, D. Roy, 83:135

### Altimetry

- A new look at the zonal pattern of the marine wind system from TOPEX measurements, Ge Chen, Robert Ezraty, Chaoyang Fang and Lixin Fang, 79:15
- Estimating tree height and tree crown properties using airborne scanning laser in a boreal nature reserve, Erik Næsset and Tonje Økland, 79:105
- Estimation of tropical forest structural characteristics using large-footprint lidar, Jason B. Drake et al., 79:305
- Airborne remote sensing of breaking waves, Paul A. Hwang, Wayne Wright, William B. Krabill and Robert N. Swift, 80:65
- Predicting forest stand characteristics with airborne scanning laser using a practical two-stage procedure and field data, Erik Næsset, 80:88
- Sensitivity of large-footprint lidar to canopy structure and biomass in a neotropical rainforest, Jason B. Drake, Ralph O. Dubayah, Robert G. Knox, David B. Clark and J.B. Blair, 81:378
- Remote sensing of forest pigments using airborne imaging spectrometer and LIDAR imagery, George Alan Blackburn, 82:311
- Integration of lidar and Landsat ETM+ data for estimating and mapping forest canopy height, Andrew T. Hudak, Michael A. Lefsky, Warren B. Cohen and Mercedes Berterretche, 82:397

### Area Estimation

- Stratified estimation of forest area using satellite imagery, inventory data, and the k-Nearest Neighbors technique, Ronald E. McRoberts, Mark D. Nelson and Daniel G. Wendt, 82:457

### ASTER

- Temperature and emissivity separation from multispectral thermal infrared observations, Thomas Schmugge, Andrew French, Jerry C. Ritchie, Albert Rango and Henk Pelgrum, 79:189



Classification using ASTER data and SVM algorithms; – The case study of Beer Sheva, Israel, Guobin Zhu and Dan G. Blumberg, 80:233

Sea-surface signatures of the island mass effect phenomena around Madeira Island, Northeast Atlantic, R.M.A. Caldeira, S. Groom, P. Miller, D. Pilgrim and N.P. Nezlin, 80:336

### Atmospheric Correction and Modeling

Recovery of spectral emissivity from Thermal Infrared Multispectral Scanner imagery acquired over a mountainous terrain – A case study from Mount Etna Sicily, M.F. Buongiorno, V.J. Realmuto and Fawzi Doumaz, 79:123

Atmospheric correction for airborne sensors: Comment on a scheme used for CASI, Chuanmin Hu and Kendall L. Carder, 79:134

Evolution of neural networks for radiative transfer calculations in the terrestrial infrared, Frank-M. Göttsche and Folke S. Olesen, 80:157

An image transform to characterize and compensate for spatial variations in thin cloud contamination of Landsat images, Y. Zhang, B. Guindon and J. Cihlar, 82:173

Atmospheric correction of MODIS data in the visible to middle infrared: first results, E.F. Vermote and N.Z. El Saleous, 83:97

### Atmosphere Properties

Evaluating evapotranspiration rates and surface conditions using Landsat TM to estimate atmospheric resistance and surface resistance, E. Boegh, H. Soegaard and A. Thomsen, 79:329

Estimation of aerosol optical depth by applying the optimal distance number to NOAA AVHRR data, Gin-Rong Liu, Tang-Huang Lin and Tsung-Hua Kuo, 81:247

### AVHRR

Effects of orbital drift on land surface temperature measured by AVHRR thermal sensors, Arthur C.R. Gleason, Stephen D. Prince, Scott J. Goetz and Jennifer Small, 79:147

The potential of Pathfinder AVHRR data for providing surrogate climatic variables across Africa and Europe for epidemiological applications, Robert M. Green and Simon I. Hay, 79:166

Comparison of surface meteorological variables from TOVS and AVHRR, Venkataraman Lakshmi, Jennifer Small and Scott Goetz, 79:176

Using covariates to spatially interpolate moisture availability in the Murray-Darling Basin – A novel use of remotely sensed data, Tim R. McVicar and David L.B. Jupp, 79:199

Derivation and validation of Canada-wide coarse-resolution leaf area index maps using high-resolution satellite imagery and ground measurements, J.M. Chen et al., 80:165

Sensitivity of multitemporal NOAA AVHRR data of an urbanizing region to land-use/land-cover changes and misregistration, Douglas A. Stow and Dong Mei Chen, 80:297

The evolution of AVHRR-derived water temperatures over boreal lakes, Normand Bussi eres, Diana Versegny and J. Ian MacPherson, 80:373

Effects of spectral response function on surface reflectance and NDVI measured with moderate resolution satellite sensors, Alexander P. Trishchenko, Josef Cihlar and Zhanqing Li, 81:1

Land surface temperature estimation from AVHRR thermal infrared measurements – An assessment for the AVHRR Land Pathfinder II data set, H. Ouaidrari, S.N. Goward, K.P. Czajkowski, J.A. Sobrino and E. Vermote, 81:114

Estimation of aerosol optical depth by applying the optimal distance number to NOAA AVHRR data, Gin-Rong Liu, Tang-Huang Lin and Tsung-Hua Kuo, 81:247

Land surface albedo from the synergistic use of polar (EPS) and geo-stationary (MSG) observing systems – An assessment of physical uncertainties, Willem J.D. van Leeuwen and Jean-Louis Roujean, 81:273

Pixel – and site-based calibration and validation methods for evaluating supervised classification of remotely sensed data, Douglas M. Muchoney and Alan H. Strahler, 81:290

Definition of a radiosounding database for sea surface brightness temperature simulations – Application to sea surface temperature retrieval algorithm determination, Christopher Fran ois, A. Brisson, P. Le Borgne and A. Marsouin, 81:309

Improved linear interpolation method for the estimation of snow-covered area from optical data, Sari Mets m ki, Jenni Veps l inen, Jouni Pulliainen and Yr  Sucksdorff, 82:64

Investigation of flood inundation on playas within the Zone of Chotts, using a time-series of AVHRR, R.G. Bryant and M.P. Rainey, 82:360

Determining land surface fractional cover from NDVI and rainfall time series for a savanna ecosystem, Todd M. Scanlon, John D. Albertson, Kelly K. Caylor and Chris A. Williams, 82:376

Interannual variability of NDVI in northwest Mexico. Associated climatic mechanisms and ecological implications, C.A. Salinas-Zavala, A.V. Douglas and H.F. Diaz, 82:417

Towards an operational MODIS continuous field of percent tree cover algorithm: examples using AVHRR and MODIS data, M.C. Hansen, R.S. DeFries, J.R.G. Townshend, R. Sohlberg, C. Dimiceli and M. Carroll, 83:303

### AVIRIS

Assessment of vegetation regeneration after fire through multitemporal analysis of AVIRIS images in the Santa Monica Mountains, D. Ria o et al., 79:60

Remote sensing of nitrogen and lignin in Mediterranean vegetation from AVIRIS data – Decomposing biochem-

ical from structural signals, Lydia Serrano, Josep Peñuelas and Susan L. Ustin, 81:355

### **Bathymetry**

Spot shallow water bathymetry of a moderately turbid tidal inlet based on field measurements, V. Lafon, J.M. Froidefond, F. Lahet and P. Castaing, 81:136

### **Biochemistry**

Biochemical and reflectance variation throughout a Sitka spruce canopy, A.L. O'Neill, J.A. Kupiec and P.J. Curran, 80:134

### **Biomass**

Retrieval biomass of a large Venezuelan pine plantation using JERS-1 SAR data. Analysis of forest structure impact on radar signature, Thierry Castel, Francisco Guerra, Yves Caraglio and François Houllier, 79:30

Radiometric slope correction for forest biomass estimation from SAR data in the Western Sayani Mountains, Siberia, G. Sun, K.J. Ranson and V.I. Kharuk, 79:279

Simultaneous use of Landsat-TM and IRS-1C WiFS data in estimating large area tree stem volume and aboveground biomass, Erkki Tomppo, Mats Nilsson, Mats Rosengren, Paula Aalto and Pamela Kennedy, 82:156

### **Biophysical**

Recent advances in remote sensing of biophysical variables – An overview of the special issue, Scott J. Goetz, 79:145

### **Calibration**

Derivation of SeaWiFS vicarious calibration coefficients using in situ measurements in Case 2 water of the Baltic Sea, T. Ohde, B. Stum and H. Siegel, 80:248

Preliminary estimate of calibration of the moderate resolution imaging spectroradiometer thermal infrared data using Lake Titicaca, Zhengming Wan et al., 80:497

Effects of spectral response function on surface reflectance and NDVI measured with moderate resolution satellite sensors, Alexander P. Trishchenko, Josef Cihlar and Zhanqing Li, 81:1

Pixel – and site-based calibration and validation methods for evaluating supervised classification of remotely sensed data, Douglas M. Muchoney and Alan H. Strahler, 81:290

Radiometric normalization of multitemporal high-resolution satellite images with quality control for land cover change detection, Yong Du, Philippe M. Teillet and Josef Cihlar, 82:123

Calibration of ocean color scanners: how much error is acceptable in the near infrared? Menghua Wang and Howard R. Gordon, 82:497

### **Change Detection**

Impacts of vegetation dynamics on the identification of land-cover change in a biologically complex community in North Carolina, USA, Ross S. Lunetta, Jayantha

Ediriwickrema, David M. Johnson, John G. Lyon and Alexa McKerrow, 82:258

Detection of land cover changes using MODIS 250m data, X. Zhan, R.A. Sohlberg, J.R.G. Townshend, C. DiMiceli, M.L. Carroll, J.C. Eastman, M.C. Hansen and R.S. DeFries, 83:336

### **Chlorophyll**

Lake water quality classification with airborne hyperspectral spectrometer and simulated MERIS data, Sampsa Koponen, Jouni Pulliainen, Kari Kallio and Martti Hallikainen, 79:51

Coupling remote sensing with computational fluid dynamics modelling to estimate lake chlorophyll-a concentration, Richard D. Hedger, Nils R.B. Olsen, Tim J. Malthus and Peter M. Atkinson, 79:116

### **Climate**

The potential of Pathfinder AVHRR data for providing surrogate climatic variables across Africa and Europe for epidemiological applications, Robert M. Green and Simon I. Hay, 79:166

Multidate adaptive unmixing and its application to analysis of ecosystem transitions along a climatic gradient, Maxim Shoshany and Tal Svoray, 82:5

Interannual variability of NDVI in northwest Mexico. Associated climatic mechanisms and ecological implications, C.A. Salinas-Zavala, A.V. Douglas and H.F. Diaz, 82:417

### **Cloud Properties**

Remote sensing of surface solar irradiance with corrections for 3-D cloud effects, Klaus Wyser, William O'Hirok, Catherine Gautier and Charles Jones, 80:272

Neural network retrieval of cloud parameters from high-resolution multispectral radiometric data – A feasibility study, Thierry Faure, Harumi Isaka and Bernard Guillemet, 80:285

An image transform to characterize and compensate for spatial variations in thin cloud contamination of Landsat images, Y. Zhang, B. Guindon and J. Cihlar, 82:173

### **Coastal Waters**

Variation in the projected surface area of suspended particles: Implications for remote sensing assessment of TSM, Ole Aarup Mikkelsen, 79:23

Coupling remote sensing with computational fluid dynamics modelling to estimate lake chlorophyll-a concentration, Richard D. Hedger, Nils R.B. Olsen, Tim J. Malthus and Peter M. Atkinson, 79:116

Coastal optical properties estimated from airborne sensors – Reply to the comments by Hu and Carder, Richard W. Gould Jr. and Robert A. Arnone, 79:138

Spectral remote sensing reflectances of coastal waters in French Guiana under the Amazon influence, Jean-Marie

Froidefond, Laure Gardel, Daniel Guiral, Mario Parra and Jean-François Temon, 80:225

SPOT shallow water bathymetry of a moderately turbid tidal inlet based on field measurements, V. Lafon, J.M. Froidefond, F. Lahet and P. Castaing, 81:136

Waterline extraction from Landsat Tm data, in a tidal flat: a case study in Gomso Bay, Korea, J-H. Ryu and J-S. Won, 83:442

### Coral Reefs

Measuring and modeling water column effects on hyper-spectral reflectances in a coral reef environment, Heather Holden and Ellsworth LeDrew, 81:300

### Crop

Comparison of ERS-2 SAR and Landsat TM imagery for monitoring agricultural crop and soil conditions, M. Susan Moran, Daniel C. Hymer, Jiaguo Qi and Yann Kerr, 79:243

Mapping short-wave albedo of agricultural surfaces using airborne POLDER data, F. Jacob, A. Oliso, M. Weiss, F. Baret and O. Hauteceur, 80:36

Impact of nitrogen and environmental conditions on corn as detected by hyperspectral reflectance, Ian B. Strachan, Elizabeth Pattey and Johanne B. Boisvert, 80:213

The effect of dew on the use of RADARSAT-1 for crop monitoring – Choosing between ascending and descending orbits, D. Wood, H. McNairn, R.J. Brown and R. Dixon, 80:241

The effect of soil and crop residue characteristics on polarimetric radar response, H. McNairn, C. Duguay, B. Brisco and T.J. Pultz, 80:308

Using a land cover classification based on satellite imagery to improve the precision of forest inventory area estimates, Ronald E. McRoberts, Daniel G. Wendt, Mark D. Nelson and Mark H. Hansen, 81:36

Airborne multispectral data for quantifying leaf area index, nitrogen concentration, and photosynthetic efficiency in agriculture, Eva Boegh et al., 81:179

Season-long daily measurements of multifrequency (Ka, Ku, X, C, and L) and full-polarization backscatter signatures over paddy rice field and their relationship with biological variables, Y. Inoue et al., 81:194

Integrated narrow-band vegetation indices for prediction of crop chlorophyll content for application to precision agriculture, Driss Haboudane, John R. Miller, Nicolas Tremblay, Pablo J. Zarco-Tejada and Louise Dextraze, 81:416

### Desert

Analysis of ERS wind scatterometer time series over Sahel (Mali), L. Jarlan, E. Mougin, P.L. Frison, P. Mazzega and P. Hiernaux, 81:404

### Dune

An analysis of the current stability of the dune field at Great Sand Dunes National Monument using temporal TM imagery (1984-1998), J.R. Janke, 83:488

### Ecology

Satellite mapping of surface biophysical parameters at the biome scale over the North American grasslands – A case study, B.K. Wylie, D.J. Meyer, L.L. Tieszen and S. Mannel, 79:266

Integrating remotely sensed data with an ecosystem model to estimate net primary productivity in East Asia, Bunkei Matsushita and Masayuki Tamura, 81:58

### Emissivity

Recovery of spectral emissivity from Thermal Infrared Multispectral Scanner imagery acquired over a mountainous terrain – A case study from Mount Etna Sicily, M.F. Buongiorno, V.J. Realmuto and Fawzi Doumaz, 79:123

Temperature and emissivity separation from multispectral thermal infrared observations, Thomas Schmugge, Andrew French, Jerry C. Ritchie, Albert Rango and Henk Pelgrum, 79:189

Land surface reflectance, emissivity and temperature from MODIS middle and thermal infrared data, F. Petitcolin and E.F. Vermote, 83:112

### Energy Balance

Evaluating evapotranspiration rates and surface conditions using Landsat TM to estimate atmospheric resistance and surface resistance, E. Boegh, H. Soegaard and A. Thomsen, 79:329

Forward and inverse modeling of land surface energy balance using surface temperature measurements, M.A. Friedl, 79:344

### Environmental Monitoring

Digital processing of a Landsat-TM time series for mapping and monitoring degraded areas caused by independent gold miners, Roraima State, Brazilian Amazon, Raimundo Almeida-Filho and Yosio E. Shimabukuro, 79:42

### Epidemiology

The potential of Pathfinder AVHRR data for providing surrogate climatic variables across Africa and Europe for epidemiological applications, Robert M. Green and Simon I. Hay, 79:166

### Erratum

Erratum to the effect of dew on the use of RADARSAT-1 for crop monitoring – Choosing between ascending and descending orbits [Remote Sensing of Environment 80/

2(2002 241-247)], D. Wood, H. McNaim, R.J. Brown and R. Dixon, 81:456

### Evapotranspiration

Evaluating evapotranspiration rates and surface conditions using Landsat TM to estimate atmospheric resistance and surface resistance, E. Boegh, H. Soegaard and A. Thomsen, 79:329

### Fire

Assessment of vegetation regeneration after fire through multitemporal analysis of AVIRIS images in the Santa Monica Mountains, D. Riaño et al., 79:60

Radiometric analysis of SPOT-VEGETATION images for burnt area detection in Northern Australia, Daniela Stroppiana, Simon Pincock, José M.C. Pereira and Jean-Marie Grégoire, 82:21

Estimating fire-related parameters in boreal forest using SPOT VEGETATION, R.H. Fraser and Z. Li, 82:95

The MODIS fire products, C.O. Justice, L. Giglio, S. Korontzi, J. Owens, J.T. Morissette, D. Roy, J. Descloitres, S. Alleaume, F. Petitcolin and Y. Kaufman, 83:244

### Flood

Investigation of flood inundation on playas within the Zone of Chotts, using a time-series of AVHRR, R.G. Bryant and M.P. Rainey, 82:360

### Forest

Retrieval biomass of a large Venezuelan pine plantation using JERS-1 SAR data. Analysis of forest structure impact on radar signature, Thierry Castel, Francisco Guerra, Yves Caraglio and François Houllier, 79:30

Estimating tree height and tree crown properties using airborne scanning laser in a boreal nature reserve, Erik Næsset and Tonje Økland, 79:105

Radiometric slope correction for forest biomass estimation from SAR data in the Western Sayani Mountains, Siberia, G. Sun, K.J. Ranson and V.I. Kharuk, 79:279

Estimating forest structure in wetlands using multitemporal SAR, Philip A. Townsend, 79:288

Estimation of tropical forest structural characteristics using large-footprint lidar, Jason B. Drake et al., 79:305

Recovery of forest canopy characteristics through inversion of a complex 3D model, D. Kimes, J. Gastellu-Etche-gorry and P. Estève, 79:320

Structural stage in Pacific Northwest forests estimated using simple mixing models of multispectral images, Donald E. Sabol Jr., Alan R. Gillespie, John B. Adams, Milton O. Smith and Compton J. Tucker, 80:1

Predicting forest stand characteristics with airborne scanning laser using a practical two-stage procedure and field data, Erik Næsset, 80:88

Biochemical and reflectance variation throughout a Sitka spruce canopy, A.L. O'Neill, J.A. Kupiec and P.J. Curran, 80:134

Detection of forest harvest type using multiple dates of Landsat TM imagery, Emily Hoffhine Wilson and Steven A. Sader, 80:385

Phenological differences in Tasseled Cap indices improve deciduous forest classification, Caren C. Dymond, David J. Mladenoff and Volker C. Radeloff, 80:460

Remote sensing of selective logging in Amazonia—Assessing limitations based on detailed field observations, Landsat ETM+, and textural analysis, Gregory P. Asner, Michael Keller, Rodrigo Pereira Jr. and Johan C. Zweede, 80:483

Stem volume retrieval in boreal forests from ESR-1/2 interferometry, Maurizio Santoro, Jan Askne, Gary Smith and Johan E.S. Fransson, 81:19

Using a land cover classification based on satellite imagery to improve the precision of forest inventory area estimates, Ronald E. McRoberts, Daniel G. Wendt, Mark D. Nelson and Mark H. Hansen, 81:36

Comparison of measured boreal forest characteristics with estimates from TM data and limited ancillary information using reflectance model inversion, Fraser Gemmell, Jari Varjo, Mikael Strandstrom and Andres Kuusk, 81:365

Sensitivity of large-footprint lidar to canopy structure and biomass in a neotropical rainforest, Jason B. Drake, Ralph O. Dubayah, Robert G. Knox, David B. Clark and J.B. Blair, 81:378

Estimating fire-related parameters in boreal forest using SPOT VEGETATION, R.H. Fraser and Z. Li, 82:95

Simultaneous use of Landsat-TM and IRS-1C WiFS data in estimating large area tree stem volume and aboveground biomass, Erkki Tomppo, Mats Nilsson, Mats Rosengren, Paula Aalto and Pamela Kennedy, 82:156

The spatial manifestation of forest succession in optical imagery – The potential of multiresolution imagery, Conghe Song and Curtis E. Woodcock, 82:271

The spectral/temporal manifestation of forest succession in optical imagery – The potential of multitemporal imagery, Conghe Song, Curtis E. Woodcock and Xiaowen Li, 82:285

Remote sensing of forest pigments using airborne imaging spectrometer and LIDAR imagery, George Alan Blackburn, 82:311

Automated tree crown detection and delineation in high-resolution digital camera imagery of coniferous forest regeneration, D.A. Pouliot, D.J. King, F.W. Bell and D.G. Pitt, 82:322

Characterization of forest types in Northeastern China, using multi-temporal SPOT-4 VEGETATION sensor data, Xiangming Xiao, Stephen Boles, Jiyuan Liu, Dafang Zhuang and Mingliang Liu, 82:335

Integration of lidar and Landsat ETM+ data for estimating and mapping forest canopy height, Andrew T. Hudak, Michael A. Lefsky, Warren B. Cohen and Mercedes Berterretche, 82:397

Stratified estimation of forest area using satellite imagery, inventory data, and the k-Nearest Neighbors technique,



Ronald E. McRoberts, Mark D. Nelson and Daniel G. Wendt, 82:457

Mapping forest post-fire canopy consumption in several overstory types using multi-temporal Landsat TM and ETM data, Jay D. Miller and Stephen R. Yool, 82:481

Towards an operational MODIS continuous field of percent tree cover algorithm: examples using AVHRR and MODIS data, M.C. Hansen, R.S. DeFries, J.R.G. Townshend, R. Sohlberg, C. Dimiceli and M. Carroll, 83:303

Burned area mapping using multi-temporal moderate spatial resolution data – a bi-directional reflectance model-based expectation approach, D.P. Roy, P.E. Lewis and C.O. Justice, 83:263

Retrieval of tropical forest structure characteristics from bi-directional reflectance of spot images, P. Defourny and C. de Wasseige, 83:362

### Geology

Linescan camera evaluation of SSM/I 85.5 Ghz sea ice retrieval, C. Garrity, D. Lubin and Grace Waterstone, 83:472

### Glaciers

Narrowband-to-broadband albedo conversion for glacier ice and snow based on aircraft and near-surface measurements, Wouter Greuell, Carleen H. Reijmer and Johannes Oerlemans, 82:48

### High Spatial Resolution

Mapping marine environments with IKONOS imagery: enhanced spatial resolution can deliver greater thematic accuracy, Peter J. Mumby and Alasdair J. Edwards, 82:248

Automated tree crown detection and delineation in high-resolution digital camera imagery of coniferous forest regeneration, D.A. Pouliot, D.J. King, F.W. Bell and D.G. Pitt, 82:322

### Hydrology

Using covariates to spatially interpolate moisture availability in the Murray-Darling Basin – A novel use of remotely sensed data, Tim R. McVicar and David L.B. Jupp, 79:199

### Hyperspectral

Lake water quality classification with airborne hyperspectral spectrometer and simulated MERIS data, Sampsa Koponen, Jouni Pulliainen, Kari Kallio and Martti Hallikainen, 79:51

Impact of nitrogen and environmental conditions on corn as detected by hyperspectral reflectance, Ian B. Strachan, Elizabeth Pattey and Johanne B. Boisvert, 80:213

Assessing the information content of multiangle satellite data for mapping biomes – I. Statistical analysis, Y. Zhang, Y. Tian, R.B. Myneni, Y. Knyazikhin and C.E. Woodcock, 80:418

Salt marsh vegetation radiometry – Data analysis and scaling, Sonia Silvestri, Marco Marani, Jeff Settle, Fabio Benvenuto and Alessandro Marani, 80:473

Airborne multispectral data for quantifying leaf area index, nitrogen concentration, and photosynthetic efficiency in agriculture, Eva Boegh et al., 81:179

Lake water quality monitoring using hyperspectral airborne data – a semiempirical multisensor and multitemporal approach for the Mecklenburg Lake District, Germany, Sabine Thiemann and Hermann Kaufmann, 81:228

Measuring and modeling water column effects on hyperspectral reflectances in a coral reef environment, Heather Holden and Ellsworth LeDrew, 81:300

Remote sensing of nitrogen and lignin in Mediterranean vegetation from AVIRIS data – Decomposing biochemical from structural signals, Lydia Serrano, Josep Peñuelas and Susan L. Ustin, 81:355

Integrated narrow-band vegetation indices for prediction of crop chlorophyll content for application to precision agriculture, Driss Haboudane, John R. Miller, Nicolas Tremblay, Pablo J. Zarco-Tejada and Louise Dextraze, 81:416

Use of hyperspectral images in the identification and mapping clay soils and the role of spatial resolution, Sabine Chabrillat, Alexander F.H. Goetz, Lisa Krosley and Harold W. Olsen, 82:431

Estimation of leafy spurge cover from hyperspectral imagery using mixture tuned matched filtering, Amy Parker Williams and E. Raymond Hunt Jr., 82:446

### Ice

ERS SAR characterization of coastal polynyas in the Arctic and comparison with SSM/I and numerical model investigations, Sverre Thune Dokken, Peter Winsor, Thorsten Markus, Jan Askne and Göran Björk, 80:321

Narrowband-to-broadband albedo conversion for glacier ice and snow based on aircraft and near-surface measurements, Wouter Greuell, Carleen H. Reijmer and Johannes Oerlemans, 82:48

Linescan camera evaluation of SSM/I 85.5 GHz sea ice retrieval, C. Garrity, D. Lubin and Grace Waterstone, 83:472

### Image Classification

Super-resolution land cover pattern prediction using a Hopfield neural network, A.J. Tatem, H.G. Lewis, P.M. Atkinson and M.S. Nixon, 79:1

Classification using ASTER data and SVM algorithms; – The case study of Beer Sheva, Israel, Guobin Zhu and Dan G. Blumberg, 80:233

Using prior probabilities in decision-tree classification of remotely sensed data, D.K. McIver and M.A. Friedl, 81:253

Image segment-based spectral features in the estimation of timber volume, Anssi Pekkarinen, 82:349

Stratified estimation of forest area using satellite imagery, inventory data, and the k-Nearest Neighbors technique,

Ronald E. McRoberts, Mark D. Nelson and Daniel G. Wendt, 82:457

### Image Processing

Assessment of vegetation regeneration after fire through multitemporal analysis of AVIRIS images in the Santa Monica Mountains, D. Riaño et al., 79:60

Atmospheric correction for airborne sensors: Comment on a scheme used for CASI, Chuanmin Hu and Kendall L. Carder, 79:134

Coastal optical properties estimated from airborne sensors – Reply to the comments by Hu and Carder, Richard W. Gould Jr. and Robert A. Arnone, 79:138

Remote sensing of nitrogen and lignin in Mediterranean vegetation from AVIRIS data – Decomposing biochemical from structural signals, Lydia Serrano, Josep Peñuelas and Susan L. Ustin, 81:355

An overview of MODIS land data processing and product status, C.O. Justice, J.R.G. Townshend, E.F. Vermote, E. Masuoka, R.E. Wolfe, N. Saleous, D.P. Roy and J.T. Morisette, 83:3

### Image Segmentation

Image segment-based spectral features in the estimation of timber volume, Anssi Pekkarinen, 82:349

### Imaging Spectrometry

Assessment of vegetation regeneration after fire through multitemporal analysis of AVIRIS images in the Santa Monica Mountains, D. Riaño et al., 79:60

Atmospheric correction for airborne sensors: Comment on a scheme used for CASI, Chuanmin Hu and Kendall L. Carder, 79:134

Coastal optical properties estimated from airborne sensors – Reply to the comments by Hu and Carder, Richard W. Gould Jr. and Robert A. Arnone, 79:138

Remote sensing of forest pigments using airborne imaging spectrometer and LIDAR imagery, George Alan Blackburn, 82:311

### Information Extraction

Super-resolution land cover pattern prediction using a Hopfield neural network, A.J. Tatem, H.G. Lewis, P.M. Atkinson and M.S. Nixon, 79:1

Land cover mapping at sub-pixel scales using linear optimization techniques, Jan Verhoeve and Robert De Wulf, 79:96

Status of land cover classification accuracy assessment, Giles M. Foody, 80:185

Impact of sensor's point spread function on land cover characterization: assessment and deconvolution, Chengquan Huang, John R.G. Townshead, Shunlin Liang, Satya N.V. Kalluri and Ruth S. DeFries, 80:203

Classification using ASTER data and SVM algorithms; – The case study of Beer Sheva, Israel, Guobin Zhu and Dan G. Blumberg, 80:233

Assessing the information content of multiangle satellite data for mapping biomes – I. Statistical analysis, Y. Zhang, Y. Tian, R.B. Myneni, Y. Knyazikhin and C.E. Woodcock, 80:418

Assessing the information content of multiangle satellite data for mapping biomes – II. Theory, Y. Zhang, N. Shabanov, Y. Knyazikhin and R.B. Myneni, 80:435

Phenological differences in Tasseled Cap indices improve deciduous forest classification, Caren C. Dymond, David J. Mladenoff and Volker C. Radeloff, 80:460

Remote sensing of selective logging in Amazonia – Assessing limitations based on detailed field observations, Landsat ETM+, and textural analysis, Gregory P. Asner, Michael Keller, Rodrigo Pereira Jr. and Johan C. Zweede, 80:483

Using a land cover classification based on satellite imagery to improve the precision of forest inventory area estimates, Ronald E. McRoberts, Daniel G. Wendt, Mark D. Nelson and Mark H. Hansen, 81:36

Using prior probabilities in decision – tree classification of remotely sensed data, D.K. McIver and M.A. Friedl, 81:253

Pixel – and site-based calibration and validation methods for evaluating supervised classification of remotely sensed data, Douglas M. Muchoney and Alan H. Strahler, 81:290

Conventional and fuzzy accuracy assessment of the New York Gap Analysis Project land cover map, M. Laba et al., 81:443

### Interferometry

Stem volume retrieval in boreal forests from ERS-1/2 interferometry, Maurizio Santoro, Jan Askne, Gary Smith and Johan E.S. Fransson, 81:19

### Lake

Lake water quality classification with airborne hyperspectral spectrometer and simulated MERIS data, Sampsa Koponen, Jouni Pulliainen, Kari Kallio and Martti Hallikainen, 79:51

Coupling remote sensing with computational fluid dynamics modelling to estimate lake chlorophyll-a concentration, Richard D. Hedger, Nils R.B. Olsen, Tim J. Malthus and Peter M. Atkinson, 79:116

The evolution of AVHRR-derived water temperatures over boreal lakes, Normand Bussi eres, Diana Versegny and J. Ian MacPherson, 80:373

Lake water quality monitoring using hyperspectral airborne data – a semiempirical multisensor and multitemporal approach for the Mecklenburg Lake District, Germany, Sabine Thiemann and Hermann Kaufmann, 81:228

A procedure for regional lake water clarity assessment using Landsat multispectral data, Steven M. Kloiber, Patrick L. Brezonik, Leif G. Olmanson and Marvin E. Bauer, 82:38

**Land Cover Classification**

- Super-resolution land cover pattern prediction using Hopfield neural network, A.J. Tatem, H.G. Lewis, P.M. Atkinson and M.S. Nixon, 79:1
- Land cover mapping at sub-pixel scales using linear optimization techniques, Jan Verhoeve and Robert De Wulf 79:96
- Status of land cover classification accuracy assessment, Giles M. Foody, 80:185
- Impact of sensor's point spread function on land cover characterization: assessment and deconvolution, Chengquan Huang, John R.G. Townsend, Shunlin Liang, Satya N.V. Kalluri and Ruth S. DeFries, 80:203
- Classification using ASTER data and SVM algorithms; – The case study of Beer Sheva, Israel, Guobin Zhu and Dan G. Blumberg, 80:233
- Assessing the information content of multiangle satellite data for mapping biomes – I. Statistical analysis, Y. Zhang, Y. Tian, R.B. Myneni, Y. Knyazikhin and C.E. Woodcock, 80:418
- Assessing the information content of multiangle satellite data for mapping biomes – II. Theory, Y. Zhang, N. Shabanov, Y. Knyazikhin and R.B. Myneni, 80:435
- Phenological differences in Tasseled Cap indices improve deciduous forest classification, Caren C. Dymond, David J. Mladenoff and Volker C. Radeloff, 80:460
- Remote sensing of selective logging in Amazonia – Assessing limitations based on detailed field observations, Landsat ETM+, and textural analysis, Gregory P. Asner, Michael Keller, Rodrigo Pereira Jr. and Johan C. Zweede, 80:483
- Using a land cover classification based on satellite imagery to improve the precision of forest inventory area estimates, Ronald E. MacRoberts, Daniel G. Wendt, Mark D. Nelson and Mark H. Hansen, 81:36
- Using prior probabilities in decision-tree classification of remotely sensed data, D.K. McIver and M.A. Friedl, 81:253
- Pixel- and site-based calibration and validation methods for evaluating supervised classification of remotely sensed data, Douglas M. Muchoney and Alan H. Strahler, 81:290
- Conventional and fuzzy accuracy assessment of the New York Gap Analysis Project land cover map, M. Laba et al., 81:443
- Statewide land cover derived from multiseasonal Landsat TM data – A retrospective of the WISCLAND project, Heather M., Reese et al., 82:224
- Determining land surface fractional cover from NDVI and rainfall time series for a savanna ecosystem, Todd M. Scanlon, John D. Albertson, Kelly K. Caylor and Chris A. Williams, 82:376
- Towards operational monitoring of terrestrial systems by moderate-resolution remote sensing, J.R.G. Townshend and C.O. Justice, 83:351
- Global land cover mapping from MODIS algorithms and early results, M.A. Friedl, D.K. McIver, J.C.F. Hodges, X.Y. Zhang, D. Muchoney, A.H. Strahler, C.E. Woodcock, S. Gopal, A. Schneider, A. Cooper, A. Baccini, F. Gao and C. Schaaf, 83:287
- A framework for the validation of MODIS land products, J.T. Morisette and J.L. Privette, 83:77

**Landsat**

- Digital Processing of a Landsat-TM time series for mapping and monitoring degraded areas caused by independent gold miners, Roraima State, Brazilian Amazon, Raimundo Almeida-Filho and Yosio E. Shimabukuro, 79:42
- Comparison of ERS-2 SAR and Landsat TM imagery for monitoring agricultural crop and soil conditions, M. Susan Moran, Daniel C. Hymer, Jianguo Qi and Yann Kerr, 79:243
- Satellite mapping of surface biophysical parameters at the biome scale over the North American grasslands – A case study, B.K. Wylie, D.J. Meyer, L.L. Tieszen and S. Mannel, 79:266
- Evaluating evapotranspiration rates and surface conditions using Landsat TM to estimate atmospheric resistance and surface resistance, E. Boegh, H. Soegaard and A. Thomssen, 79:329
- A comparison of methods for monitoring multitemporal vegetation using Thematic Mapper imagery, John Rogan, Janet Franklin and Dar A. Roberts, 80:143
- Detection of forest harvest type using multiple dates of Landsat TM imagery, Emily Hoffhine Wilson and Steven A. Sader, 80:385
- Remote sensing of selective logging in Amazonia – Assessing limitations based on detailed field observations, Landsat ETM+, and textural analysis, Gregory P. Asner, Michael Keller, Rodrigo Pereira Jr. and Johan C. Zweede, 80:483
- Coastal sea surface temperature variability from Landsat infrared data, Andrew Thomas, Deirdre Byrne and Ryan Weatherbee, 81:262
- Application of an empirical neural network to surface water quality estimation in the Gulf of Finland using combined optical data and microwave data, Yuanzhi Zhang, Jouni Pulliainen, Sampsa Koponen and Martti Hallikainen, 81:327
- Comparison of measured boreal forest characteristics with estimates from TM data and limited ancillary information using reflectance model inversion, Fraser Gemmel, Jari Varjo, Mikael Strandstrom and Andres Kuusk, 81:365
- Multidate adaptive unmixing and its application to analysis of ecosystem transitions along a climatic gradient, Maxim Shoshany and Tal Svoray, 82:5
- A procedure for regional lake water clarity assessment using Landsat multispectral data, Steven M. Kloiber, Patrick L. Brezonik, Leif G. Olmanson and Marvin E. Bauer, 82:38





**MODIS**

- Estimate of noise and systematic error in early thermal infrared data of the Moderate Resolution Imaging Spectroradiometer (MODIS), Zhengming Wan, 80:47
- Effects of spatial variability in light use efficiency on satellite-based NPP monitoring, David P. Turner, Stith T. Gower, Warren B. Cohen, Matthew Gregory and Tom K. Maersperger, 80:397
- Preliminary estimate of calibration of the moderate resolution imaging spectroradiometer thermal infrared data using Lake Titicaca, Zhengming Wan et al., 80:497
- Effects of spectral response function on surface reflectance and NDVI measured with moderate resolution satellite sensors, Alexander P. Trishchenko, Josef Cihlar and Zhanqing Li, 81:1
- Automated volcanic eruption detection using MODIS, Robert Wright, Luke Flynn, Harold Garbeil, Andrew Harris and Eric Pilger, 82:135
- Preface: special issue on the moderate resolution spectroradiometer (MODIS): a new generation of land surface monitoring, C.O. Justice and J. Townshend, 83:1
- An overview of MODIS land data processing and product status, C.O. Justice, J.R.G. Townshend, E.F. Vermote, E. Masuoka, R.E. Wolfe, N. Saleous, D.P. Roy and J.T. Morisette, 83:3
- On-orbit performance of the earth observing system (EOS) moderate resolution imaging spectroradiometer (MODIS); first year of data, B. Guenther, X. Xiong, V.V. Salomonson, W.L. Barnes and J. Young, 83:16
- Achieving sub-pixel geolocation accuracy in support of MODIS land science, R.E. Wolfe, M. Nishihama, A.J. Fleig, J.A. Kuyper, D.P. Roy, J.C. Storey, F.S. Patt, 83:31
- Early results on the characterization of the terra MODIS spatial response, F. Rojas, R.A. Schowengerdt and S.F. Biggar, 83:50
- The MODIS land product quality assessment approach, D.P. Roy, J.S. Borak, S. Devadiga, R.E. Wolfe, M. Zheng and J. Descloitres, 83:62
- A framework for the validation of MODIS land products, J.T. Morisette and J.L. Privette, 83:77
- Atmospheric correction of MODIS data in the visible to middle infrared: first results, E.F. Vermote and N.Z. El Saleous, 83:97
- Land surface reflectance, emissivity and temperature from MODIS middle and thermal infrared data, F. Petitcolin and E.F. Vermote, 83:112
- First operational BRDF, albedo and nadir reflectance products from MODIS, C.B. Schaaf, F. Gao, A.H. Strahler, W. Lucht, X. Li, T. Tsang, N.C. Strugnell, X. Zhang, Y. Jin, J.-P. Muller, P. Lewis, M. Barnsley, P. Hobson, M. Disney, G. Roberts, M. Dunderdale, C. Doll, R.P. d'Entremont, B. Hu, S. Liang, J.L. Privette, D. Roy, 83:135
- Validating MODIS land surface reflectance and albedo products: methods and preliminary results, S. Liang, H. Fang, M. Chen, C.J. Shuey, C. Walthall, C. Daughtry, J. Morisette, C. Schaaf and A. Strahler, 83:149
- Validation of the land-surface temperature products retrieved from Terra moderate resolution imaging spectroradiometer data, Z. Wan, Y. Zhang, Q. Zhang and Z.-l. Li, 83:163
- MODIS snow-cover products, D.K. Hall, G.A. Riggs, V.V. Salomonson, N.E. DiGirolamo and K.J. Bayr, 83:181
- Overview of the radiometric and biophysical performance of the MODIS vegetation indices, A.R. Huete, K. Didan, T. Miura, E.P. Rodriguez, X. Gao and L.G. Ferreira, 83:195
- Global products of vegetation leaf area and fraction absorbed PAR from year one of MODIS data, R.B. Myneni, S. Hoffman, Y. Knyazikhin, J.L. Privette, J. Glassy, Y. Tian, Y. Wang, X. Song, Y. Zhang, G.R. Smith, A. Lott, M. Friedl, J.T. Morisette, P. Votava, R.R. Nemani and S.W. Running, 83:214
- Early spatial and temporal validation of MODIS LAI product in the Southern Africa Kalahari, J.L. Privette, R.B. Myneni, Y. Knyazikhin, M. Mukelabai, G. Roberts, Y. Tian, Y. Wang and S.G. Leblanc, 83:232
- The MODIS fire products, C.O. Justice, L. Giglio, S. Korontzi, J. Owens, J.T. Morisette, D. Roy, J. Descloitres, S. Alleaume, F. Petitcolin and Y. Kaufman, 83:244
- Burned area mapping using multi-temporal moderate spatial resolution data-a bi-directional reflectance model-based expectation approach, D.P. Roy, P.E. Lewis and C.O. Justice, 83:263
- Global land cover mapping from MODIS algorithms and early results, M.A. Friedl, D.K. McIver, J.C.F. Hodges, X.Y. Zhang, D. Muchoney, A.H. Strahler, C.E. Woodcock, S. Gopal, A. Schneider, A. Cooper, A. Baccini, F. Gao and C. Schaaf, 83:287
- Towards an operational MODIS continuous field of percent tree cover algorithm: examples using AVHRR and MODIS data, M.C. Hansen, R.S. DeFries, J.R.G. Townshend, R. Sohlberg, C. Dimiceli and M. Carroll, 83:303
- Development of a MODIS tree cover validation data set for Western Province, Zambia, M.C. Hansen, R.S. DeFries, J.R.G. Townshend, L. Marufu and R. Sohlberg, 83:320
- Detection of land cover changes using MODIS 250m data, X. Zhan, R.A. Sohlberg, J.R.G. Townshend, C. DiMiceli, M.L. Carroll, J.C. Eastman, M.C. Hansen and R.S. DeFries, 83:336
- Towards operational monitoring of terrestrial systems by moderate-resolution remote sensing, J.R.G. Townshend and C.O. Justice, 83:351
- Multiscale analysis and validation of the MODIS LAI product over Maun, Botswana II. Sampling Strategy, Y. Tian, 83:431

**Moisture**

- Using covariates to spatially interpolate moisture availability in the Murray-Darling Basin - A novel use of

remotely sensed data, Tim R. McVicar and David L.B. Jupp, 79:199

A simple interpretation of the surface temperature/vegetation index space for assessment of surface moisture status, Inge Sandholt, Kjeld Rasmussen and Jens Andersen, 79:213

Comparison of ERS-2 SAR and Landsat TM imagery for monitoring agricultural crop and soil conditions, M. Susan Moran, Daniel C. Hymer, Jiaguo Qi and Yann Kerr, 79:243

Designing a spectral index to estimate vegetation water content from remote sensing data: Part 1 – Theoretical approach, Pietro Ceccato, Nadine Gobron, Stéphane Flasse, Bernard Pinty and Stefano Tarantola, 82:188

Designing a spectral index to estimate vegetation water content from remote sensing data: Part 2 – Validation and applications, Pietro Ceccato, Stéphane Flasse and Jean-Marie Grégoire, 82:198

ECMWF analyses of humidity: comparisons to POLDER estimates over land, Michèle Vesperini, 82:469

### Multiangl e Measurements

Assessing the information content of multiangle satellite data for mapping biomes – I. Statistical analysis, Y. Zhang, Y. Tian, R.B. Myneni, Y. Knyazikhin and C.E. Woodcock, 80:418

Assessing the information content of multiangle satellite data for mapping biomes – II. Theory, Y. Zhang, N. Shabanov, Y. Knyazikhin and R.B. Myneni, 80:435

Normalisation of directional effects in 10-day global syntheses derived from VEGETATION/SPOT: – I. Investigation of concepts based on simulation, Benoît Duchemin and Philippe Maisongrande, 81:90

Normalisation of directional effects in 10-day global syntheses derived from VEGETATION/SPOT: – II. Validation of an operational method on actual data sets, Benoît Duchemin, Béatrice Berthelot, Gérard Dedieu, Marc Leroy and Philippe Maisongrande, 81:101

### Multitemporal

A comparison of methods for monitoring multitemporal vegetation change using Thematic Mapper imagery, John Rogan, Janet Franklin and Dar A. Roberts, 80:143

Detection of forest harvest type using multiple dates of Landsat TM imagery, Emily Hoffhine Wilson and Steven A. Sader, 80:385

Integrated narrow-band vegetation indices for prediction of crop chlorophyll content for application to precision agriculture, Driss Haboudane, John R. Miller, Nicolas Tremblay, Pablo J. Zarco-Tejada and Louise Dextraze, 81:416

Multidate adaptive unmixing and its application to analysis of ecosystem transitions along a climatic gradient, Maxim Shoshany and Tal Svoray, 82:5

The spatial manifestation of forest succession in optical imagery – The potential of multiresolution imagery, Conghe Song and Curtis E. Woodcock, 82:271

The spectral/temporal manifestation of forest succession in optical imagery – The potential of multitemporal imagery, Conghe Song, Curtis E. Woodcock and Xiaowen Li, 82:285

Mapping forest post-fire canopy consumption in several overstory types using multi-temporal Landsat TM and ETM data, Jay D. Miller and Stephen R. Yool, 82:481

### Net Primary Productivity

Effects of spatial variability in light use efficiency on satellite-based NPP monitoring, David P. Turner, Stith T. Gower, Warren B. Cohen, Matthew Gregory and Tom K. Maier-sperger, 80:397

Deriving green crop area index and canopy chlorophyll density of winter wheat from spectral reflectance data, N.H. Broge and J.V. Mortensen, 81:45

### Ocean Color

Short-term variability of phytoplankton blooms associated with a cold eddy in the northwestern Arabian Sea, DanLing Tang, Hiroshi Kawamura and Alvarinho J. Luis, 81:82

SPOT shallow water bathymetry of a moderately turbid tidal inlet based on field measurements, V. Lafon, J.M. Froidefond, F. Lahet and P. Castaing, 81:136

Spectral signature of highly turbid waters – Application with SPOT data to quantify suspended particulate matter concentrations, David Doxaran, Jean-Marie Froidefond, Samantha Lavender and Patrice Castaing, 81:149

Algal biomass and sea surface temperature in the Mediterranean Basin – Intercomparison of data from various satellite sensors, and implications for primary production estimates, A. Bricaud, E. Bosc and D. Antoine, 81:163

Calibration of ocean color scanners: how much error is acceptable in the near infrared? Menghua Wang and Howard R. Gordon, 82:497

### Ocean Waves and Winds

A new look at the zonal pattern of the marine wind system from TOPEX measurements, Ge Chen, Robert Ezraty, Chaoyang Fang and Lixin Fang, 79:15

Estimation of sea surface wind vector using RADARSAT data, Duk-jin Kim and Wooil M. Moon, 80:55

Airborne remote sensing of breaking waves, Paul A. Hwang, Wayne Wright, William B. Krabill and Robert N. Swift, 80:65

Sea-surface signatures of the island mass effect phenomena around Madeira Island, Northeast Atlantic, R.M.A. Caldeira, S. Groom, P. Miller, D. Pilgrim and N.P. Nezlin, 80:336

Analysis of ERS wind scatterometer time series over Sahel (Mali), L. Jarlan, E. Mougin, P.L. Frison, P. Mazzega and P. Hiernaux, 81:404

Upwellings in the Taiwan Strait during the summer monsoon detected by satellite and shipboard measurements, Grace Waterstone and D. Tang, 83:457

#### Passive Microwave

Using microwave brightness temperature to detect short-term surface air temperature changes in Antarctica: An analytical approach, Sylviane Surdyk, 80:256

ERS SAR characterization of coastal polynyas in the Arctic and comparison with SSM/I and numerical model investigations, Sverre Thune Dokken, Peter Winsor, Thorsten Markus, Jan Askne and Göran Björk, 80:321

Analysis of freshwater flux climatology over the Indian Ocean using the HOAPS data, M.R. Ramesh Kumar and J. Schulz, 80:363

Seasonal comparisons of sea ice concentration estimates derived from SSM/I, OKEAN, and RADARSAT data, Gennady I. Belchansky and David C. Douglas, 81:67

Space-time characterization of soil moisture from passive microwave remotely sensed imagery and ancillary data, Gwangseob Kim and Ana P. Barros, 81:393

Linescan camera evaluation of SSM/I 85.5 GHz sea ice retrieval, C. Garrity, D. Lubin and Grace Waterstone, 83:472

#### POLDER

Recovery of forest canopy characteristics through inversion of a complex 3D model, D. Kimes, J. Gastellu-Etchegorry and P. Estève, 79:320

Mapping short-wave albedo of agricultural surfaces using airborne POLDER data, F. Jacob, A. Olioso, M. Weiss, F. Baret and O. Hautecoeur, 80:36

Algal biomass and sea surface temperature in the Mediterranean Basin – Intercomparison of data from various satellite sensors, and implications for primary production estimates, A. Bricaud, E. Bosc and D. Antoine, 81:163

ECMWF analyses of humidity: comparisons to POLDER estimates over land, Michèle Vesperini, 82:469

#### Radar

Radiometric slope correction for forest biomass estimation from SAR data in the Western Sayani Mountains, Siberia, G. Sun, K.J. Ranson and V.I. Kharuk, 79:279

Estimation of sea surface wind vector using RADARSAT data, Duk-jin Kim and Wooil M. Moon, 80:55

The effect of dew on the use of RADARSAT-1 for crop monitoring – Choosing between ascending and descending orbits, D. Wood, H. McNairn, R.J. Brown and R. Dixon, 80:241

The effect of soil and crop residue characteristics on polarimetric radar response, H. McNairn, C. Duguay, B. Brisco and T.J. Pultz, 80:308

ERS SAR characterization of coastal polynyas in the Arctic and comparison with SSM/I and numerical model investigations, Sverre Thune Dokken, Peter Winsor, Thorsten Markus, Jan Askne and Göran Björk, 80:321

Stem volume retrieval in boreal forests from ERS-1/2 interferometry, Maurizio Santoro, Jan Askne, Gary Smith and Johan E.S. Fransson, 81:19

Seasonal comparison of sea ice concentration estimates derived from SSM/I, OKEAN, and RADARSAT data, Gennady I. Belchansky and David C. Douglas, 81:67

Season-long daily measurements of multifrequency (Ka, Ku, X, C, and L) and full-polarization backscatter signatures over paddy rice field and their relationship with biological variables, Y. Inoue et al., 81:194

Application for an empirical neural network to surface water quality estimation in the Gulf of Finland using combined optical data and microwave data, Yuanzhi Zhang, Jouni Pulliainen, Sampsa Koponen and Martti Hallikainen, 81:327

Scaling of differentially eroded surfaces in the drainage network of the Ethiopian Plateau, Alexandre Beaulieu and Hélène Gaonac'h, 82:111

Evaluation of IRS-1c LISS-3 satellite data for defoliation assessment on Norway spruce and Scots pine, Helén Falkenström and Sam Ekstrand, 82:208

#### Radiation Modeling

Design and analysis of numerical experiments to compare four canopy reflectance models, C. Bacour, S. Jacquemod, Y. Tourbier, M. Dechambre and J.-P. Frangi, 79:72

Coupling remote sensing with computational fluid dynamics modelling to estimate lake chlorophyll-a concentration, Richard D. Hedger, Nils R.B. Olsen, Tim J. Malthus and Peter M. Atkinson, 79:116

Using covariates to spatially interpolate moisture availability in the Murray-Darling Basin – A novel use of remotely sensed data, Tim R. McVicar and David L.B. Jupp, 79:199

A simple interpretation of the surface temperature/vegetation index space for assessment of surface moisture status, Inge Sandholt, Kjeld Rasmussen and Jens Andersen, 79:213

Evaluating land surface moisture conditions from the remotely sensed temperature/vegetation index measurements – An exploration with the simplified simple biosphere model, Samuel N. Goward, Yongkang Xue and Kevin P. Czajkowski, 79:225

Recovery of forest canopy characteristics through inversion of a complex 3D model, D. Kimes, J. Gastellu-Etchegorry and P. Estève, 79:320

Forward and inverse modeling of land surface energy balance using surface temperature measurements, M.A. Friedl, 79:344

A two-layer model of the bidirectional reflectance of homogeneous vegetation canopies, S. Liangrocapart and M. Petrou, 80:17

- Mapping short-wave albedo of agricultural surfaces using airborne PoIDER data, F. Jacob, A. Olioso, M. Weiss, F. Baret and O. Hautecoeur, 80:36
- Novel algorithms for remote estimation of vegetation fraction, Anatoly A. Gitelson, Yoram J. Kaufman, Robert Stark and Don Rundquist, 80:76
- Predicting forest stand characteristics with airborne scanning laser using a practical two-stage procedure and field data, Erik Næsset, 80:88
- Evolution of neural networks for radiative transfer calculations in the terrestrial infrared, Frank-M. Göttsche and Folke S. Olesen, 80:157
- Remote sensing of the surface solar irradiance with corrections for 3-D cloud effects, Klaus Wyser, William O'Hirok, Catherine Gautier and Charles Jones, 80:272
- Normalisation of directional effects in 10-day global syntheses derived from VEGETATION/SPOT: - I. Investigation of concepts based on simulation, Benoît Duchemin and Philippe Maisongrande, 81:90
- A fast canopy reflectance model to simulate realistic remote sensing scenarios, F.J. García-Haro and S. Sommer, 81:205
- Land surface albedo from the synergistic use of polar (EPS) and geo-stationary (MSG) observing systems - An assessment of physical uncertainties, Willem J.D. van Leeuwen and Jean-Louis Roujean, 81:273
- Comparison of measured boreal forest characteristics with estimates from TM data and limited ancillary information using reflectance model inversion, Fraser Gemmell, Jari Varjo, Mikael Strandrom and Andres Kuusk, 81:365
- Estimation of carbon mass fluxes over Europe using the C-fix model and Euroflux data, F. Veroustraete, 83:376
- Rain**
- Analysis of freshwater flux climatology over the Indian Ocean using the HOAPS data, M.R. Ramesh Kumar and J. Schulz, 80:363
- Determining land surface fractional cover from NDVI and rainfall time series for a savanna ecosystem, Todd M. Scanlon, John D. Albertson, Kelly K. Caylor and Chris A. Williams, 82:376
- Reflectance Measurements**
- A two-layer model of bidirectional reflectance of homogeneous vegetation canopies, S. Liangrocapart and M. Petrou, 80:17
- Characterizing leaf geometry for grass and crop canopies from hotspot observations: A simulation study, Wenhan Qin, Siegfried A.W. Gerstl, Donald W. Deering and Narendra S. Goel, 80:100
- Biochemical and reflectance variation throughout a Sitka spruce canopy, A.L. O'Neill, J.A. Kupiec and P.J. Curran, 80:134
- Impact of nitrogen and environmental conditions on corn as detected by by hyperspectral reflectance, Ian B. Strachan, Elizabeth Pattey and Johanne B. Boisvert, 80:213
- Spectral remote sensing reflectances of coastal waters in French Guiana under the Amazon influence, Jean-Marie Froidefond, Laure Gardel, Daniel Guiral, Mario Parra and Jean-François TERNON, 80:225
- Field-derived spectra of salinized soils and vegetation as indicators of irrigation-induced soil salinization, R.L. Dehaan and G.R. Taylor, 80:406
- Land surface reflectance, emissivity and temperature from MODIS middle and thermal infrared, F. Petitcolin and E.F. Vermote, 83:112
- First operational BRDF, albedo and nadir reflectance products from MODIS, C.B. Schaaf, F. Gao, A.H. Strahler, W. Lucht, X. Li, T. Tsang, N.C. Strugnell, X. Zhang, Y. Jin, J.-P. Muller, P. Lewis, M. Barnsley, P. Hobson, M. Disney, G. Roberts, M. Dunderdale, C. Doll, R.P. d'Entremont, B. Hu, S. Liang, J.L. Privette, D. Roy, 83:135
- Retrieval of tropical forest structure characteristics from bi-directional reflectance of spot images, P. Defourny and C. de Wasseige, 83:362
- Retrieval of canopy biophysical variables from bi-directional reflectance. Using prior information to solve the ill-posed inverse problem, B. Combal, 00:00
- SAR**
- Retrieval biomass of large Venezuelan pine plantation using JERS-1 SAR data. Analysis of forest structure impact on radar signature, Thierry Castel, Francisco Guerra, Yves Caraglio and François Houllier, 79:30
- Comparison of ERS-2 SAR and Landsat TM imagery for monitoring agricultural crop and soil conditions, M. Susan Moran, Daniel C. Hymer, Jiaguo Qi and Yann Kerr, 79:243
- Radiometric slope correction for forest biomass estimation from SAR data in the Western Sayani Mountains, Siberia, G. Sun, K.J. Ranson and V.I. Kharuk, 79:279
- Estimating forest structure in wetlands using multitemporal SAR, Philip A. Townsend, 79:288
- Scatterometer**
- Analysis of ERS wind scatterometer time series over Sahel (Mali), L. Jarlan, E. Mouglin, P.L. Frison, P. Mazzega and P. Hiernaux, 81:404
- Retrieval of bare soil and vegetation parameters from wind scatterometer measurements over three different climatic regions, M. Grippa, 00:00
- Sea WIFS**
- Derivation of SeaWIFS vicarious calibration coefficients using in situ measurements in Case 2 water of the Baltic Sea, T. Ohde, B. Sturn and H. Siegel, 80:248
- Sea-surface signatures of the island mass effect phenomena around Madeira Island, Northeast Atlantic, R.M.A. Caldeira, S. Groom, P. Miller, D. Pilgrim and N.P. Nezlin, 80:336



Short-term variability of phytoplankton blooms associated with a cold eddy in the northwestern Arabian Sea, DanLing Tang, Hiroshi Kawamura and Alvarinho J. Luis, 81:82

Algal biomass and sea surface temperature in the Mediterranean Basin – Intercomparison of data from various satellite sensors, and implications for primary production estimates, A. Bricaud, E. Bosc and D. Antoine, 81:163

Validation of empirical SeaWIFS algorithms for chlorophyll-a retrieval in the Mediterranean Sea – A case study for oligotrophic seas, Fabrizio D'Ortenzio, Salvatore Marullo, Maria Ragni, Maurizio Ribera d'Alcalà and Rosalia Santoleri, 82:79

### Sea Ice

ERS SAR characterization of coastal polynyas in the Arctic and comparison with SSM/I and numerical model investigations, Sverre Thune Dokken, Peter Winsor, Thorsten Markus, Jan Askne and Göran Björk, 80:321

Seasonal comparisons of sea ice concentration estimates derived from SSM/I, OKEAN, and RADARSAT data, Gennady I. Belchansky and David C. Douglas, 81:67

Linescan camera evaluation of SSM/I 85.5 Ghz sea ice retrieval, C. Garrity, D. Lubin and Grace Waterstone, 83:472

### Sea Surface Temperature

Algal biomass and sea surface temperature in the Mediterranean Basin – Intercomparison of data from various satellite sensors, and implications for primary production estimates, A. Bricaud, E. Bosc and D. Antoine, 81:163

Coastal sea surface temperature variability from Landsat infrared data, Andrew Thomas, Deirdre Byrne and Ryan Weatherbee, 81:262

Definition of a radiosounding database for sea surface brightness temperature simulations – Application to sea surface temperature retrieval algorithm determination, Christopher François, A. Brisson, P. Le Borgne and A. Marsouin, 81:309

### Sensor

Estimate of noise systematic error in early thermal infrared data of the Moderate Resolution Imaging Spectroradiometer (MODIS), Zhengming Wan, 80:47

Impact of sensor's point spread function on land cover characterization: assessment and deconvolution, Chengquan Huang, John R.G. Townshend, Shunlin Liang, Satya N.V. Kalluri and Ruth S. DeFries, 80:203

Assessing the information content of multiangle satellite data for mapping biomes – I. Statistical analysis, Y. Zhang, Y. Tian, R.B. Myneni, Y. Knyazikhin and C.E. Woodcock, 80:418

Effects of spectral response function on surface reflectance and NDVI measured with moderate resolution satellite sensors, Alexander P. Trishchenko, Josef Cihlar and Zhanqing Li, 81:1

### Snow

Using microwave brightness temperature to detect short-term surface air temperature changes in Antarctica: An analytical approach, Sylviane Surdyk, 80:256

Narrowband-to-broadband albedo conversion for glacier ice and snow based on aircraft and near-surface measurements, Wouter Greuell, Carleen H. Reijmer and Johannes Oerlemans, 82:48

Improved linear interpolation method for the estimation of snow-covered area from optical data, Sari Metsämäki, Jenni Vepsäläinen, Jouni Pulliainen and Yrjö Sucksdorff, 82:64

MODIS snow-cover products, D.K. Hall, G.A. Riggs, V.V. Salomonson, N.E. DiGirolamo and K.J. Bayr, 83:181

### Solar Radiation

Remote sensing of surface solar irradiance with corrections for 3-D cloud effects, Klaus Wyser, William O'Hirok, Catherine Gautier and Charles Jones, 80:272

### Soil

Comparison of ERS-2 SAR and Landsat TM imagery for monitoring agricultural crop and soil conditions, M. Susan Moran, Daniel C. Hymer, Jiaguo Qi and Yann Kerr, 79:243

The effect of soil and crop residue characteristics on polarimetric radar response, H. McNaim, C. Duguay, B. Brisco and T.J. Pultz, 80:308

Field-derived spectra of salinized soils and vegetation as indicators of irrigation-induced soil salinization, R.L. Dehaan and G.R. Taylor, 80:406

Relating soil surface moisture to reflectance, Liu Weidong et al., 81:238

Scaling of differentially eroded surfaces in the drainage network of the Ethiopian Plateau, Alexandre Beaulieu and Hélène Gaonac'h, 82:111

A generalized soil-adjusted vegetation index, M.A. Gilabert, J. González-Piqueras, F.J. García-Haro and J. Meliá, 82:303

Use of hyperspectral images in the identification and mapping of expansive clay soils and the role of spatial resolution, Sabine Chabrillat, Alexander F.H. Goetz, Lisa Krosley and Harold W. Olsen, 82:431

Downscaling of remotely-sensed soil moisture with a modisture with a modified fractal interpolation method using contraction mapping and ancillary data, A.P. Barros and G. Kim, 83:400

Retrieval of bare soil and vegetation parameters from wind scatterometer measurements over three different climatic regions, M. Grippa, 00:00

### Spatial

The spatial manifestation of forest succession in optical imagery – The potential of multiresolution imagery, Conghe Song and Curtis E. Woodcock, 82:271

Use of hyperspectral images in the identification and mapping of expansive clay soils and the role of spatial resolution, Sabine Chabrillat, Alexander F.H. Goetz, Lisa Krosley and Harold W. Olsen, 82:431

Early results on the characterization of the terra MODIS spatial response, F. Rojas, R.A. Schowengerdt and S.F. Biggar, 83:50

### Spectroradiometry

Impact of nitrogen and environmental conditions on corn as detected by hyperspectral reflectance, Ian B. Strachan, Elizabeth Pattey and Johanne B. Boisvert, 80:213

Spectral remote sensing reflectances of coastal waters in French Guiana under the Amazon influence, Jean-Marie Froidefond, Laure Gardel, Daniel Guiral, Mario Parra and Jean-François Ternon, 80:225

Salt marsh vegetation radiometry – Data analysis and scaling, Sonia Silvestri, Marco Marani, Jeff Settle, Fabio Benvenuto and Alessandro Marani, 80:473

Spectral signature of highly turbid waters – Application with SPOT data to quantify suspended particular matter concentrations, David Doxaran, Jean-Marie Froidefond, Samantha Lavender and Patrice Castaing, 81:149

Measuring and modelling water column effects on hyperspectral reflectance in a coral reef environment, Heather Holden and Ellsworth LeDrew, 81:300

Relationships between leaf pigment content and spectral reflectance across a wide range of species, leaf structures and developmental stages, Daniel A. Sims and John A. Gamon, 81:337

### SPOT

Derivation and validation of Canada-wide coarse-resolution leaf area index maps using high-resolution satellite imagery and ground measurements, J.M. Chen et al., 80:165

Normalisation of directional effects in 10-day global syntheses derived from VEGETATION/SPOT: – I. Investigation of concepts based on simulation, Benoît Duchemin and Philippe Maisongrande, 81:90

Normalisation of directional effects in 10-day global syntheses derived from VEGETATION/SPOT: – II. Validation of an operational method on actual data sets, Benoît Duchemin, Béatrice Berthelot, Gérard Dedieu, Marc Leroy and Philippe Maisongrande, 81:101

SPOT shallow water bathymetry of a moderately turbid tidal inlet based on field measurements, V. Lafon, J.M. Froidefond, F. Lahet and P. Castaing, 81:136

Spectral signature of highly turbid waters – Application with SPOT data to quantify suspended particulate matter concentrations, David Doxaran, Jean-Marie Froidefond, Samantha Lavender and Patrice Castaing, 81:149

Radiometric analysis of SPOT-VEGETATION images for burnt area detection in Northern Australia, Daniela

Stroppiana, Simon Pinnock, José M.C. Pereira and Jean-Marie Grégoire, 82:21

Estimating fire-related parameters in boreal forest using SPOT VEGETATION, R.H. Fraser and Z. Li, 82:95

Characterization of forest types in Northeastern China, using multi-temporal SPOT-4 VEGETATION sensor data, Xiangming Xiao, Stephen Boles, Jiyuan Liu, Dafang Zhuang and Mingliang Liu, 82:335

### Subpixel

Land cover mapping at sub-pixel scales using linear optimization techniques, Jan Verhoeve and Robert De Wulf, 79:96

Multidate adaptive unmixing and its application to analysis of ecosystem transitions along a climatic gradient, Maxim Shoshany and Tal Svoray, 82:5

Achieving sub-pixel geolocation accuracy in support of MODIS land science, R.E. Wolfe, M. Nishihama, A.J. Fleig, J.A. Kuyper, D.P. Roy, J.C. Storey, F.S. Patt, 83:31

### Surface Temperature

Effects of orbital drift on land surface temperature measured by AVHRR thermal sensors, Arthur C.R. Gleason, Stephen D. Prince, Scott J. Goetz and Jennifer Small, 79:147

Temperature and emissivity separation from multispectral thermal infrared observations, Thomas Schmugge, Andrew French, Jerry C. Ritchie, Albert Rango and Henk Pelgrum, 79:189

Using covariates to spatially interpolate moisture availability in the Murray-Darling Basin – A novel use of remotely sensed data, Tim R. McVicar and David L.B. Jupp, 79:199

A simple interpretation of the surface temperature/vegetation index space for assessment of surface moisture status, Inge Sandholt, Kjeld Rasmussen and Jens Andersen, 79:213

Forward and inverse modeling of land surface energy balance using surface temperature measurements, M.A. Friedl, 79:344

The potential of directional radiometric temperatures for monitoring soil and leaf temperature and soil moisture status, C. François, 80:122

Evolution of neural networks for radiative transfer calculations in the terrestrial infrared, Frank-M. Göttsche and Folke S. Olesen, 80:157

The evolution of AVHRR-derived water temperatures over boreal lakes, Normand Bussi eres, Diana Versegny and J. Ian MacPherson, 80:373

Land surface temperature estimation from AVHRR thermal infrared measurements – An assessment for the AVHRR Land Pathfinder II data set, H. Ouaidrari, S.N. Goward, K.P. Czajkowski, J.A. Sobrino and E. Vermote, 81:114

Validation of the land-surface temperature products retrieved from Terra moderate resolution imaging spectroradio-

meter data, Z. Wan, Y. Zhang, Q. Zhang and Z.-l. Li, 83:163

### Thermal Measurements

Thermal remote sensing of near-surface water vapor, Kevin P. Czajkowski, Samuel N. Goward, David Shirey and Anita Walz, 79:253

Estimate of noise and systematic error in early thermal infrared data of the Moderate Resolution Imaging Spectroradiometer (MODIS), Zhengming Wan, 80:47

First use of an airborne thermal infrared hyperspectral scanner for compositional mapping, Laurel Kirkland et al., 80:447

Preliminary estimate of calibration of the moderate resolution imaging spectroradiometer thermal infrared data using Lake Titicaca, Zhengming Wan et al., 80:497

Validation of the land-surface temperature products retrieved from Terra moderate resolution imaging spectroradiometer data, Z. Wan, Y. Zhang, Q. Zhang and Z.-l. Li, 83:163

### TOPEX

A new look at the zonal pattern of the marine wind system from TOPEX measurements, Ge Chen, Robert Ezraty, Chaoyang Fang and Lixin Fang, 79:15

### Topography

Radiometric slope correction for forest biomass estimation from SAR data in the Western Sayani mountains, Siberia, G. Sun, K.J. Ranson and V.I. Kharuk, 79:279

Airborne remote sensing of breaking waves, Paul A. Hwang, Wayne Wright, William B. Krabill and Robert N. Swift, 80:65

### Urban

Classification using ASTER data and SVM algorithms—The case study of Beer Sheva, Israel, Guobin Zhu and Dan G. Blumberg, 80:233

Sensitivity of multitemporal NOAA AVHRR data of an urbanizing region to land-use/land-cover changes and misregistration, Douglas A. Stow and Dong Mei Chen, 80:297

Integrated narrow-band vegetation indices for prediction of crop chlorophyll content for application to precision agriculture, Driss Haboudane, John R. Miller, Nicholas Tremblay, Pablo J. Zarco-Tejada and Louise Dextraze, 81:416

### Vegetation Indices

Retrieval of vegetation clumping index using hot spot signatures measured by POLDER instrument, Roselyne Lacaze, Jing M. Chen, Jean-Louis Roujean and Sylvain G. Leblanc, 79:84

A simple interpretation of the surface temperature/vegetation index for assessment of surface moisture status,

Inge Sandholt, Kjeld Rasmussen and Jens Andersen, 79:213

Satellite mapping of surface biophysical parameters at the biome scale over the North American grasslands – A case study, B.K. Wylie, D.J. Meyer, L.L. Tieszen and S. Mannel, 79:266

Impact of nitrogen and environment conditions on corn as detected by hyperspectral reflectance, Ian B. Strachan, Elizabeth Pattey and Johanne B. Boisvert, 80:213

Detection of forest harvest type using multiple dates of Landsat TM imagery, Emily Hoffhine Wilson and Steven A. Sader, 80:385

Phenological differences in Tasseled Cap indices improve deciduous forest classification, Caren C. Dymond, David J. Mladenoff and Volker C. Radeloff, 80:460

Using a land cover classification based on satellite imagery to improve the precision of forest inventory areas estimates, Ronald E. McRoberts, Daniel G. Wendt, Mark D. Nelson and Mark H. Hansen, 81:36

The influence of canopy green vegetation fraction on spectral measurements over native tallgrass prairie, Bradley C. Rundquist, 81:129

A generalized soil-adjusted vegetation index, M.A. Gilabert, J. González-Piqueras, F.J. García-Haro and J. Meliá, 82:303

Burned area mapping using multi-temporal moderate spatial resolution data – a bi-directional reflectance model-based expectation approach, D.P. Roy, P.E. Lewis and C.O. Justice, 83:263

### Vegetation Properties

Assessment of vegetation regeneration after fire through multitemporal analysis of AVIRIS images in the Santa Monica Mountains, D. Riaño et al., 79:60

Design and analysis of numerical experiments to compare four canopy reflectance models, C. Bacour, S. Jacquemond, Y. Tourbier, M. Dechambre and J.-P. Frangi, 79:72

Retrieval of vegetation clumping index using hot spot signatures measured by POLDER instrument, Roselyne Lacaze, Jing M. Chen, Jean-Louis Roujean and Sylvain G. Leblanc, 79:84

Estimating tree height and tree crown properties using airborne scanning laser in a boreal nature reserve, Erik Næsset and Tonje Økland 79:105

Thermal remote sensing of near-surface water vapor, Kevin P. Czajkowski, Samuel N. Goward, David Shirey and Anita Walz, 79:253

Satellite mapping of surface biophysical parameters at the biome scale over the North American grasslands – A case study, B.K. Wylie, D.J. Meyer, L.L. Tieszen and S. Mannel, 79:266

A two-layer model of the bidirectional reflectance of homogeneous vegetation canopies, S. Liangrocapart and M. Petrou, 80:17

- Novel algorithms for remote estimation of vegetation fraction, Anatoly A. Gitelson, Yoram J. Kaufman, Robert Stark and Don Runquist, 80:76
- Predicting forest stand characteristics with airborne scanning laser using a practical two-stage procedure and field data, Erik Næsset, 80:88
- Characterizing leaf geometry for grass and crop canopies from hotspot observations: A simulation study, Wenhan Qin, Siegfried A.W. Gerstl, Donald W. Deering and Narendra S. Goel, 80:100
- Estimation of f APAR LAI, and vegetation fractional cover from ATSR-2 imagery, Peter R.J. North, 80:114
- Impact of nitrogen and environment conditions on corn as detected by hyperspectral reflectance, Ian B. Strachan, Elizabeth Pattey and Johanne B. Boisvert, 80:213
- Effects of spatial variability in light use efficiency on satellite-based NPP monitoring, David P. Turner, Stith T. Gower, Warren B. Cohen, Matthew Gregory and Tom K. Maiesperger, 80:397
- Salt marsh vegetation radiometry – Data analysis and scaling, Sonia Silvestri, Marco Marani, Jeff Settle, Fabio Benvenuto and Alessandro Marani, 80:473
- Remote sensing of selective logging in Amazonia – Assessing limitations based on detailed field observations, Landsat ETM+ and textural analysis, Gregory P. Asner, Michael Keller, Rodrigo Pereira Jr. and Johan C. Zweede, 80:483
- Stem volume retrieval in boreal forests from ERS-1/2 interferometry, Maurizio Santoro, Jan Askne, Gary Smith and Johan E.S. Fransson, 81:19
- Using a land cover classification based on satellite imagery to improve the precision of forest inventory areas estimates, Ronald E. McRoberts, Daniel G. Wendt, Mark D. Nelson and Mark H. Hansen, 81:36
- The influence of canopy green vegetation fraction on spectral measurements over native tallgrass prairie, Bradley C. Rundquist, 81:129
- Airborne multispectral data for quantifying leaf area index, nitrogen concentration, and photosynthetic efficiency in agriculture, Eva Boegh et al., 81:179
- Season-long daily measurements of multifrequency (Ka, Ku X, C, and L) and full-polarization backscatter signatures over paddy rice field and their relationship with biological variables, Y. Inoue et al., 81:194
- Relationships between leaf pigment content and spectral reflectance across a wide range of species, leaf structures and developmental stages, Daniel A. Sims and John A. Gamon, 81:337
- Remote sensing of nitrogen and lignin in Mediterranean vegetation from AVIRIS data – Decomposing biochemical from structural signals, Lydia Serrano, Josep Peñuelas and Susan L. Ustin, 81:355
- Comparison of measured boreal forest characteristics with estimates from AVIRIS data and limited ancillary information using reflectance model inversion, Fraser Gemmell, Jari Varjo, Mikael Strandstrom and Andres Kuusk, 81:365
- Sensitivity of large-footprint lidar to canopy structure and biomass in a neotropical rainforest, Jason B. Drake, Ralph O. Dubayah, Ribert G. Knox, David B. Clark and J.B. Blair, 81:378
- Integrated narrow-band vegetation indices for prediction of crop chlorophyll content for application to precision agriculture, Driss Haboudane, John R. Miller, Nicolas Tremblay, Pablo J. Zarco-Tejada and Louise Dextraze, 81:416
- Designing a spectral index to estimate vegetation water content from remote sensing data: Part 1 – Theoretical approach, Pietro Ceccato, Nadine Gobron, Stéphane Flasse, Bernard Pinty and Stefano Tarantola, 82:188
- Designing a spectral index to estimate vegetation water content from remote sensing data: Part 2 – Validation and applications, Pietro Ceccato, Stéphane Flasse and Jean-Marie Grégoire, 82:198
- The spatial manifestation of forest succession in optical imagery – The potential of multiresolution imagery, Conghe Song and Curtis E. Woodcock, 82:271
- The spectral/temporal manifestation of forest succession in optical imagery – The potential of multitemporal imagery, Conghe Song, Curtis E. Woodcock and Xiaowen Li, 82:285
- Determining land surface fractional cover from NDVI and rainfall time series for a savanna ecosystem, Todd M. Scanlon, John D. Albertson, Kelly K. Caylor and Chris A. Williams, 82:376
- Mapping forest post fire canopy consumption in several overstory types using multi-temporal Landsat TM and ETM data, Jay D. Miller and Stephen R. Yool, 82:481
- Retrieval of bare soil and vegetation parameters from wind scatterometer measurements over three different climatic regions, M. Grippa, 00:00
- ### Volcanoes
- Recovery of spectral emissivity from Thermal Infrared Multispectral Scanner imagery acquired over a mountainous terrain – A case study from Mount Etna Sicily, M.F. Buongiorno, V.J. Realmuto and Fawzi Doumaz, 79:123
- Automated volcanic eruption detection using MODIS, Robert Wright, Luke Flynn, Harold Garbeil, Andrew Harris and Eric Pilger, 82:123
- ### Water
- Variation in the projected surface area of suspended particles: Implications for remote sensing assessment of TSM, Ole Aarup Mikkelsen, 79:23
- Atmospheric correction for airborne sensors: Comment on a scheme used for CASI, Chuanmin Hu and Kendall L. Carder, 79:134



Coastal optical properties estimated from airborne sensors –  
Reply to the comments by Hu and Carder, Richard W.  
Gould Jr. and Robert A. Arnone, 79:138

The evolution of AVHRR-derived water temperatures over  
boreal lakes, Normand Bussi eres, Diana Versegby and J.  
Ian MacPherson, 80:373

Application of an empirical neural network to surface water  
quality estimation in the Gulf of Finland using combined  
optical data and microwave data, Yuanzhi Zhang, Jouni

Pulliainen, Sampsa Koponen and Martti Hallikainen,  
81:327

#### **Wetlands**

Estimating forest structure in wetlands using multitemporal  
SAR, Philip A. Townsend, 79:288

Salt marsh vegetation radiometry – Data analysis and  
scaling, Sonia Silvestri, Marco Marani, Jeff Settle, Fabio  
Benvenuto and Alessandro Marani, 80:473



